



US00D386193S

United States Patent [19] Steadings

[11] Patent Number: **Des. 386,193**
[45] Date of Patent: ****Nov. 11, 1997**

[54] **CHUCK**

[75] Inventor: **Stephen W. Steadings, Seneca, S.C.**

[73] Assignee: **Power Tool Holders Incorporated, Wilmington, Del.**

[**] Term: **14 Years**

[21] Appl. No.: **58,269**

[22] Filed: **Aug. 9, 1996**

[51] LOC (6) Cl. **15-09**

[52] U.S. Cl. **D15/140; D8/70**

[58] Field of Search **D8/70; D15/140; 279/60-63, 69, 157, 902**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 323,961	2/1992	Fushiya et al. .	
D. 328,556	8/1992	Fushiya et al. .	
D. 332,208	1/1993	Sakamoto et al. .	
D. 333,080	2/1993	Fushiya et al. .	
D. 356,932	4/1995	Owens et al. .	
D. 359,217	6/1995	Owens et al. .	
D. 361,076	8/1995	Shadeck et al. .	
D. 363,295	10/1995	Barton	D15/140
4,097,054	6/1978	Derbyshire .	
4,695,065	9/1987	Komatsu et al. .	
5,009,439	4/1991	Sakamaki .	
5,031,925	7/1991	Tatsu et al. .	
5,125,673	6/1992	Huff et al. .	
5,145,192	9/1992	Rohm .	
5,193,824	3/1993	Salpaka .	
5,234,223	8/1993	Sakamaki .	
5,286,041	2/1994	Rohm .	
5,299,814	4/1994	Salpaka .	
5,348,317	9/1994	Steadings et al. .	
5,348,318	9/1994	Steadings et al. .	
5,390,940	2/1995	Morlino et al. .	
5,411,275	5/1995	Huff et al. .	
5,499,828	3/1996	Salpaka et al.	279/62
5,501,473	3/1996	Barton et al. .	
5,531,461	7/1996	Huff et al. .	
5,553,873	9/1996	Salpaka et al. .	

FOREIGN PATENT DOCUMENTS

0618029A1	10/1994	European Pat. Off. .
2606691	5/1988	France .
93200064	3/1994	Germany .
1565048	4/1980	United Kingdom .

OTHER PUBLICATIONS

96-030420 Dated May 9, 1990 96-030413 Dated Aug. 9, 1990.
 96-030643 Dated Jul. 18, 1990 96-030667 Dated Sep. 24, 1990.
 96-030677 Dated Sep. 24, 1990 96-031089 Dated Mar. 25, 1993.
 96-030684 Dated Nov. 28, 1990 96-030419 Dated Sep. 7, 1993.
 96-030736 Dated Sep. 30, 1991 96-030816 Dated Apr. 8, 1994.
 96-030742 Dated Oct. 25, 1991 96-031284 Dated Apr. 11, 1994.

(List continued on next page.)

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Dority & Manning, P.A.


[57] CLAIM

The ornamental design of a chuck, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a chuck embodying the design of the present invention;
 FIG. 2 is a bottom view of the chuck illustrated in FIG. 1;
 FIG. 3 is a right side view of the chuck of FIG. 1;
 FIG. 4 is a left side view of the chuck of FIG. 1;
 FIG. 5 is a top view of the chuck of FIG. 1;
 FIG. 6 is a perspective view of a chuck embodying the design of the present invention;
 FIG. 7 is a bottom view of the chuck illustrated in FIG. 6;
 FIG. 8 is a right side view of the chuck of FIG. 6;
 FIG. 9 is a left side view of the chuck of FIG. 6; and,
 FIG. 10 is a top view of the chuck of FIG. 6.
 The chuck illustrated in FIGS. 1-5 is shaded for black and silver.

1 Claim, 4 Drawing Sheets



OTHER PUBLICATIONS

96-030748 Dated Nov. 13, 1991 96-031285 Dated Jun. 10, 1994.
96-030758 Dated Nov. 19, 1991 96-030742 Dated Jun. 10, 1994.
96-030772 Dated Nov. 19, 1991 96-030848 Dated Jul. 15, 1994.
96-030816 Dated May 26, 1992 96-031316 Dated Jul. 25, 1994.
96-P0372 Dated Nov. 17, 1992 96-031225 Dated Aug. 2, 1994.

96-031087 Dated Mar. 25, 1993 96-030643 Dated Aug. 4, 1994.
96-030758 Dated Aug. 4, 1994 96-031420 Dated Jan. 12, 1996.
96-031349 Dated Aug. 23, 1994 96-031510 Dated May 16, 1996.
96-031362 Dated Jun. 9, 1995.
96-031383 Dated Jun. 13, 1995.
96-031470 Dated Oct. 26, 1995.
YUKIWA products brochure, Japan.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10