



US00D386498S

United States Patent [19]

Tajima et al.

[11] Patent Number: **Des. 386,498**

[45] Date of Patent: *****Nov. 18, 1997**

[54] **ELECTROACOUSTIC TRANSDUCER**

[75] Inventors: **Kazushige Tajima; Yoshio Imahori,**
both of Shizuoka, Japan

[73] Assignee: **Star Micronics Co., Ltd., Shizuoka,**
Japan

[*] Notice: The portion of the term of this patent
subsequent to Jan. 14, 2011, has been
disclaimed.

[**] Term: **14 Years**

[21] Appl. No.: **55,790**

[22] Filed: **Jun. 13, 1996**

[30] **Foreign Application Priority Data**

Dec. 13, 1995 [JP] Japan 7-37615

[51] **LOC (6) Cl.** **14-01**

[52] **U.S. Cl.** **D14/222**

[58] **Field of Search** **D10/75; D14/214,**
D14/217, 221-224, 299; 324/156; 367/175;
381/188-199

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 239,537 4/1976 Wagner D14/222

D. 333,468 2/1993 Hansen 381/222
4,901,357 2/1990 Albright 381/192
5,471,437 11/1995 Schutter et al. 367/175

FOREIGN PATENT DOCUMENTS

948056 12/1995 Japan .

Primary Examiner—Sandra L. Morris

Assistant Examiner—Nanda Bondade

Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak,
and Seas

[57] **CLAIM**

The ornamental design for an electroacoustic transducer, as
shown.

DESCRIPTION

FIG. 1 is a perspective view of the top, front and right side
of an electroacoustic transducer showing our new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a bottom plan view thereof; and ,
FIG. 7 is a rear elevational view thereof.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7

