

US00D386517S

United States Patent [19]

Takahashi et al.

[11] Patent Number: Des. 386,517

[45] Date of Patent: **Nov. 18, 1997

[54] **PHOTOCOPIER**

[75] Inventors: **Masaki Takahashi; Hiroaki Sasaki,**
both of Yokohama, Japan

[73] Assignee: **Canon Kabushiki Kaisha, Tokyo,**
Japan

[**] Term: **14 Years**

[21] Appl. No.: **57,958**

[22] Filed: **Aug. 5, 1996**

[30] **Foreign Application Priority Data**

Feb. 5, 1996 [JP] Japan 8-2707

[51] LOC (6) Cl. **16-03**

[52] U.S. Cl. **D18/39; D18/36**

[58] Field of Search **D18/36-39; D14/111,**
D14/112, 116, 118; 355/200, 210, 231,
245, 233-236, 326-328

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 338,031 8/1993 Katada et al. D18/36

- D. 350,972 9/1994 Komada et al. D18/36
- D. 354,511 1/1995 Agata et al. D18/36
- D. 362,674 9/1995 Ishibashi et al. D18/39
- D. 366,896 2/1996 Isomoto et al. D18/39

Primary Examiner—Caron D. Veynar
Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for a photocopier, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a photocopier showing our new design;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right side view thereof; and,
FIG. 7 is a perspective view thereof.

1 Claim, 7 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

