

US00D386692S

United States Patent [19]

Kume et al.

[11] Patent Number: Des. 386,692

[45] Date of Patent: **Nov. 25, 1997

[54]	WATCH (CASE
[75]	Inventors:	Toshiaki Kume; Yoshimasa Shomura, both of Chiba, Japan
[73]	Assignee:	Seiko Instruments Inc., Japan
[**]	Term:	14 Years
[21]	Appl. No.	54,080
[22]	Filed:	May 6, 1996
[30]	Forei	gn Application Priority Data
Dec Apr. Apr.	7, 7, 1995 2, 6, 1995 18, 1996 18, 1996 18, 1996	[JP] Japan 7-33513 [JP] Japan 7-36850 [JP] Japan 8-11248 [JP] Japan 8-11250
[51]	LOC (6)	Cl 10-02
[52]	U.S. Cl	D10/30 ; D10/38
[58]		earch

[56] References Cited

U.S. PATENT DOCUMENTS

D. 238,055 12/1975 Seshimo	30 X X
3,866,406 2/1975 Roberts D10/38	X

OTHER PUBLICATIONS

European Jeweler-Jun. 1976-p. 27-Digital Watches.

Hong Kong Enterprise-Oct. 1987-p. 41-watch #63129 on bottom row.

Primary Examiner—Nelson C. Holtje Attorney, Agent, or Firm—Adams & Wilks

[57] CLAIM

The ornamental design for a watch case, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a first variant of a watch

case showing our new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom plan view thereof;

FIG. 5 is a left side elevational view thereof;

FIG. 6 is a right side elevational view thereof; FIG. 7 is a front left perspective view;

FIG. 8 is a front elevational view of a second variant thereof;

FIG. 9 is a rear elevational view thereof;

FIG. 10 is a top plan view thereof;

FIG. 11 is a bottom plan view thereof;

FIG. 12 is a left side elevational view thereof;

FIG. 13 is a right side elevational view thereof;

FIG. 14 is a front left perspective view thereof;

FIG. 15 is a front elevational view of a third variant thereof;

FIG. 16 is a rear elevational view thereof;

FIG. 17 is a top plan view thereof;

FIG. 18 is a bottom plan view thereof;

FIG. 19 is a left side elevational view thereof;

FIG. 20 is a right side elevational view thereof;

FIG. 21 is a vertical cross-sectional view thereof taken along

line XXI—XXI of FIG. 15;

FIG. 22 is a front elevational view of a fourth variant

thereof;

FIG. 23 is a rear elevational view thereof;

FIG. 24 is a top plan view thereof;

FIG. 25 is a bottom plan view thereof;

FIG. 26 is a left side elevational view thereof;

FIG. 27 is a right side elevational view thereof;

FIG. 28 is a vertical cross-sectional view thereof taken along

line XXVIII—XXVIII of FIG. 22;

FIG. 29 is a front elevational view of a fifth variant thereof;

FIG. 30 is a rear elevational view thereof;

FIG. 31 is a top plan view thereof;

FIG. 32 is a bottom plan view thereof;


FIG. 33 is a left side elevational view thereof;

FIG. 34 is a right side elevational view thereof; and,

FIG. 35 is a vertical cross-sectional view thereof taken along

line XXXV—XXXV of FIG. 29.

1 Claim, 5 Drawing Sheets






FIG. 3




FIG. 5




FIG. 1




FIG. 6





FIG. 4



F1G. 2






FIG. 7



F1G. 10



F1G. 12





FIG. 8



F1G. 13







FIG. 11



F1G. 9



F1G. 14



Nov. 25, 1997

