



US00D387086S

United States Patent [19]
Sasaki

[11] **Patent Number: Des. 387,086**
[45] **Date of Patent: **Dec. 2, 1997**

[54] **INK TANK FOR PRINTER**
[75] **Inventor: Toshiaki Sasaki, Abiko, Japan**
[73] **Assignee: Canon Kabushiki Kaisha, Tokyo, Japan**

5,408,256 4/1995 Keen et al. 347/87
5,486,855 1/1996 Carlatta et al. 347/87
5,504,511 4/1996 Nakajima et al. 347/86
5,555,238 9/1996 Miyazawa 347/86
5,576,749 11/1996 Mochizuki et al. 347/86

[**] **Term: 14 Years**

FOREIGN PATENT DOCUMENTS

56-40565 4/1981 Japan D18/56
406115093 4/1994 Japan 347/87
406218941 8/1994 Japan 347/86

[21] **Appl. No.: 60,121**

[22] **Filed: Sep. 23, 1996**

Primary Examiner—Cathy Anne MacCormac

[30] **Foreign Application Priority Data**

[57] **CLAIM**

Mar. 29, 1996 [JP] Japan 8-9099

The ornamental design for an ink tank for printer, as shown and described.

[51] **LOC (6) Cl. 18-02**

[52] **U.S. Cl. D18/56; 347/87**

[58] **Field of Search D18/43, 56; 347/86-87**

DESCRIPTION

[56] **References Cited**

FIG. 1 is a front view of a ink tank for printer showing my new design thereof;
FIG. 2 is a rear view thereof;
FIG. 3 is a top plan view thereof;
FIG. 4 is a bottom plan view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a right view thereof; and,
FIG. 7 is a perspective view thereof.

U.S. PATENT DOCUMENTS

D. 314,973 2/1991 Yamamoto D18/56
D. 375,523 11/1996 Murray 347/86
4,633,274 12/1986 Matsuda 347/86
4,679,058 7/1987 Hori D18/56
5,039,999 8/1991 Winslow et al. 347/87
5,205,659 4/1993 Gungel et al. D18/56
5,328,279 7/1994 Suzuki et al. D18/56

1 Claim, 1 Drawing Sheet




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6





FIG. 7



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 387,086
DATED : December 2, 1997
INVENTOR(S) : TOSHIKI SASAKI

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page;
[56] REFERENCES CITED

U.S. Patent Documents

Insert: --Des. 375,120 10/96 Kotaki et al. ... D18/56--.
Insert: --Des. 371,160 6/96 Kotaki et al. ... D18/56--.
Insert: --4,633,274 12/1986 Matsuda 347/86--.

Foreign Patent Documents

"406115093" should read --6-115093--.
"406218941" should read --6-218941--.

Signed and Sealed this
Tenth Day of March, 1998



BRUCE LEHMAN

Commissioner of Patents and Trademarks

Attest:

Attesting Officer