

#### US00D387209S

# United States Patent [19]

## Heinzlreiter

[11] Patent Number: Des

Des. 387,209

[45] Date of Patent:

\*\*Dec. 9, 1997

[54]	CALENDARED TEXTURED LINER		
[75]	Inventor:	Heinrich Heinzlreiter, Penz, Austria	
[73]	Assignee:	AGRU Alois Gruber GmbH, Bad Hall, Austria	
[**]	Term:	14 Years	
[21]	Appl. No.:	48,977	
[22]	Filed:	Jan. 11, 1996	
[51]	LOC (6) Cl 05-06		
[52]	U.S. Cl	<b>D5/61</b> ; D5/47	
[58]	Field of Search		
		D5/53, 57, 59, 62; D24/124; D6/582, 583;	
	$\mathbf{L}$	025/157, 138, 143; 428/92, 116, 118, 178,	
		180, 904.4	

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 88,444	11/1932	Wax		
		Juestrich D5/59		
		Hardmeyer D5/62		
D. 134,549	12/1942	Sokoloff		
		Norman, Jr D5/49		
4,629,643	12/1986	Curro et al		
5,180,620	1/1993	Mende 428/178		
FOREIGN PATENT DOCUMENTS				

### OTHER PUBLICATIONS

Coarse surfacing steel strip, The Harrison & King Perforating Co. Catalog, p. 130, Apr. 1967.

Primary Examiner—James Gandy

Assistant Examiner—Robert M. Spear Attorney, Agent, or Firm—Anthony J. Casella; Gerald E. Hespos; Ludomir A. Budzyn

CLAIM

#### [57]

The ornamental design for calendared textured liner, as shown and described.

#### DESCRIPTION

FIG. 1 is a top plan view of a calendared textured liner showing a first embodiment of my new design;

FIG. 2 is a cross-sectional view of the first embodiment of my new design of a calendared textured liner, taken along line 2—2 of FIG. 1;

FIG. 3 is a top plan view of a calendared textured liner showing a second embodiment of my new design; and,

FIG. 4 is a cross-sectional view of the second embodiment of my new design of a calendared textured liner, taken along line 4—4 of FIG. 3.

The broken lines along the border of FIG. 1 indicate that the calendared textured liner has indeterminate length and width. The dash-dot-dash lines within the showing of FIG. 1 indicated one repeat unit of the claimed design, which repeats uniformly throughout the linear.

The broken lines along the border of FIG. 3 indicate that the calendared textured liner has indeterminate length and width. The dash-dot-dash lines within the showing of FIG. 3 indicated one repeat unit of the claimed design, which repeats uniformly throughout the linear.

In the first embodiment, the bottom surface of the claimed design is a mirror image of the design of FIG. 1.

In the second embodiment, the bottom surface of the claimed design is plain and unornamented.

1 Claim, 2 Drawing Sheets





