



US00D387267S

United States Patent [19] Brown

[11] Patent Number: Des. 387,267

[45] Date of Patent: **Dec. 9, 1997

[54] WALL PLATES

[75] Inventor: Tobias A. Brown, Greenwich, Conn.

[73] Assignee: JJI Lighting Group, Inc., Greenwich, Conn.

[**] Term: 14 Years

[21] Appl. No.: 58,512

[22] Filed: Aug. 16, 1996

[51] LOC (6) Cl. 11-05

[52] U.S. Cl. D8/353

[58] Field of Search D8/350, 353; 174/66; 220/241; 439/536

[56] References Cited

U.S. PATENT DOCUMENTS

| | | | | |
|------------|---------|---------|-------|---------|
| D. 375,249 | 11/1996 | Scherer | | D8/353 |
| 2,634,016 | 4/1953 | Hagen | | 220/241 |
| 3,199,063 | 8/1965 | Stuart | | 174/66 |
| 4,059,327 | 11/1977 | Vann | | 174/66 |
| 4,972,045 | 11/1990 | Primeau | | 174/66 |

FOREIGN PATENT DOCUMENTS

| | | | | |
|---------|--------|----------------|-------|--------|
| 2116121 | 9/1983 | United Kingdom | | 174/66 |
|---------|--------|----------------|-------|--------|

OTHER PUBLICATIONS

Leviton Cat. 1000-D; Sep. 1968; pp. 12 & 13; Various conventional openings in switching plates.

Primary Examiner—B. J. Bullock

Attorney, Agent, or Firm—Fitzpatrick, Cella, Harper & Scinto

[57] CLAIM

The oramental design for a wall plate, as shown and described.



DESCRIPTION

FIG. 1 is a perspective view of a wall plate showing my new design;

FIG. 2 is a perspective view of another embodiment of a wall plate according to the present invention, the only difference being the shape of the socket recesses;

FIG. 3 is a front view of the wall plate shown in FIG. 1; FIG. 4 is a back view of the wall plate shown in FIG. 1; FIG. 5 is a side view of the wall plate shown in FIG. 1; FIG. 6 is a bottom view of the wall plate shown in FIG. 1; FIG. 7 is a front view of the wall plate shown in FIG. 2; FIG. 8 is a back view of the wall plate shown in FIG. 2; FIG. 9 is a side view of the wall plate shown in FIG. 2; FIG. 10 is a bottom view of the wall plate shown in FIG. 2; FIG. 11 is a front view of another embodiment of a wall plate according to the present invention, the only differences being the shape of the actuator recess and the width; FIG. 12 is a side view of the wall plate shown in FIG. 11; FIG. 13 is a bottom view of the wall plate shown in FIG. 11; FIG. 14 is a front view of another embodiment of a wall plate according to the present invention, the only difference being the shape of the actuator recess and the width; FIG. 15 is a side view of the wall plate shown in FIG. 14; FIG. 16 is a bottom view of the wall plate of FIG. 14; FIG. 17 is a front view of another embodiment of a wall plate according to the present invention, the only difference being the shape of the actuator and socket recesses; FIG. 18 is a side view of the embodiment of FIG. 17; FIG. 19 is a bottom view of the wall plate shown in FIG. 17; FIG. 20 is a front view of another embodiment of a wall plate according to the present invention, the only differences being the shapes of the actuator and socket recesses; FIG. 21 is a side view of the embodiment shown in FIG. 20; FIG. 22 is a bottom view of the wall plate of FIG. 20; FIG. 23 is a front view of the wall plate according to the present invention, the only difference being the shape of the socket recess; FIG. 24 is a side view of the embodiment shown in FIG. 23; FIG. 25 is a bottom view of the wall plate of FIG. 23; FIG. 26 is a front view of another embodiment of a wall plate according to the present invention, the only difference being the shape of the actuator recess; FIG. 27 is a side view of the embodiment shown in FIG. 26; FIG. 28 is a bottom view of the wall plate of FIG. 26; FIG. 29 is a front view of another embodiment of wall plate according to the present invention, the only difference being the shape of the actuator recesses; FIG. 30 is a side view of the embodiment shown in FIG. 29; and, FIG. 31 is a bottom view of the wall plate of FIG. 29.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2

FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13




FIG. 14




FIG. 15



FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21



FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27



FIG. 28




FIG. 29




FIG. 30



FIG. 31

