



US00D387297S

United States Patent [19]
Kawabata

[11] **Patent Number: Des. 387,297**
[45] **Date of Patent: **Dec. 9, 1997**

[54] **FIRE DETECTOR**

D. 357,203 4/1995 Ozawa D10/106
D. 377,321 1/1997 Tomizawa D10/106

[75] **Inventor: Yoshimi Kawabata, Hachiouji, Japan**

[73] **Assignee: Hochiki Kabushiki Kaisha, Tokyo, Japan**

Primary Examiner—Marcus A. Jackson
Attorney, Agent, or Firm—Lackenbach Siegel Marzullo Aronson & Greenspan, P.C.

[**] **Term: 14 Years**

[57] **CLAIM**

[21] **Appl. No.: 61,380**

The ornamental design for a fire detector.

[22] **Filed: Oct. 23, 1996**

DESCRIPTION

[30] **Foreign Application Priority Data**

Apr. 24, 1996 [JP] Japan 8-11994

FIG. 1 is a perspective view of a smoke detector showing my new design for a fire detector;

[51] **LOC (6) Cl. 10-05**

FIG. 2 is a top plan view thereof;

[52] **U.S. Cl. D10/106**

FIG. 3 is a front elevational view thereof;

[58] **Field of Search D10/104, 106, D10/116, 121; 340/571, 572, 573, 628, 629, 630, 631, 632**

FIG. 4 is a right side elevational view thereof; the left side being a mirror image thereof;

FIG. 5 is a bottom plan view thereof; and,

FIG. 6 is a rear elevational view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 357,202 4/1995 Ozawa D10/106

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

