



US00D387376S

**United States Patent** [19]  
**Ohno**

[11] **Patent Number:** **Des. 387,376**  
[45] **Date of Patent:** **\*\*Dec. 9, 1997**

[54] **PAD FOR ELECTRONIC DRUM**  
[75] **Inventor:** Masaharu Ohno, Hamamatsu, Japan  
[73] **Assignee:** Yamaha Corporation, Japan  
[\*\*] **Term:** 14 Years  
[21] **Appl. No.:** 59,182  
[22] **Filed:** Sep. 4, 1996  
[30] **Foreign Application Priority Data**  
Mar. 11, 1996 [JP] Japan ..... 8-6586  
[51] **LOC (6) Cl.** ..... 17-04  
[52] **U.S. Cl.** ..... D17/22; 84/411 P  
[58] **Field of Search** ..... D17/22, 99; D21/64;  
84/411 P, 411 R, 723-733, 743, DIG. 12,  
DIG. 24

D. 320,035 9/1991 Magruder ..... D17/22  
4,581,972 4/1986 Hoshino ..... 84/411 P  
4,581,973 4/1986 Hoshino ..... D17/411 P

*Primary Examiner*—Philip S. Hyder  
*Assistant Examiner*—Adir Aronovich  
*Attorney, Agent, or Firm*—Ostrolenk, Faber, Gerb & Soffen, LLP

[57] **CLAIM**

The ornamental design for a pad for electronic drum, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of a pad for electronic drum;  
FIG. 2 is a front view thereof;  
FIG. 3 is a bottom view thereof;  
FIG. 4 is a right-side view thereof;  
FIG. 5 is a left-side view thereof;  
FIG. 6 is a rear view thereof; and,  
FIG. 7 is a top, right side perspective view thereof, the broken line showing of a support leg is for illustrative purpose only and forms no part of the claimed design.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 285,572 9/1986 Hoshino ..... D17/22  
D. 298,949 12/1988 Fukuoka ..... D17/22

**1 Claim, 2 Drawing Sheets**




FIG-1




FIG-2





FIG-3

FIG-4



FIG-5




FIG-6



FIG-7

