

US00D387408S

United States Patent [19]
Floreani

[11] **Patent Number: Des. 387,408**
[45] **Date of Patent: **Dec. 9, 1997**

[54] **TRANSPARENT SLIDING DEVICE
DAMPENER**

[75] **Inventor: Adrian J. Floreani, Stateline, Nev.**
[73] **Assignee: Richard Floreani, New Boston, N.H.**
[**] **Term: 14 Years**

[21] **Appl. No.: 45,718**
[22] **Filed: Oct. 27, 1995**

[51] **LOC (6) Cl. 21-02**
[52] **U.S. Cl. D21/229; D21/230**
[58] **Field of Search D21/228, 229;
280/601, 602, 607, 609, 610**

[56] **References Cited**

U.S. PATENT DOCUMENTS

4,438,946	3/1984	Piegay	280/602
4,995,630	2/1991	Piegay	280/602
5,000,475	3/1991	Gagneux et al.	280/601
5,002,300	3/1991	Pascal et al.	280/602
5,035,442	7/1991	Arnsteiner	280/602
5,199,734	4/1993	Mayr	280/607

FOREIGN PATENT DOCUMENTS

8604824	8/1986	WIPO	280/602
---------	--------	------------	---------

Primary Examiner—Kay H. Chin
Attorney, Agent, or Firm—Ladas & Parry

[57] **CLAIM**


The ornamental design for a transparent sliding device dampener, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a first embodiment of a transparent sliding device dampener showing a liquid filled dampener, the broken illustration of ski, arbitrary graphic (e.g., diamonds) located on the surface of the sliding device are for illustrative purposes only and form no part of the claimed design;

FIG. 2 is a side elevational view of FIG. 1, the opposite side view being a mirror image of that shown;
FIG. 3 is a rear elevational view of FIG. 1;
FIG. 4 is a front elevational view of FIG. 1;
FIG. 5 is an enlarged sectional view taken along line 5—5 of FIG. 2;
FIG. 6 is a top plan view of a second embodiment of the transparent sliding device dampener showing a solid dampener;
FIG. 7 is a side elevational view of FIG. 6;
FIG. 8 is a rear elevational view of FIG. 6;
FIG. 9 is a front elevational view of FIG. 6;
FIG. 10 is an enlarged sectional view taken along line 10—10 of FIG. 7;
FIG. 11 is an enlarged sectional view of a third embodiment of the transparent sliding device dampener showing an air filled dampener, and the top, sides, rear and front views are the same as the second embodiment shown in FIGS. 6 through 9;
FIG. 12 is a top plan view of a fourth embodiment of the transparent sliding device dampener showing a liquid filled dampener;
FIG. 13 is a side elevational view of FIG. 12;
FIG. 14 is a rear elevational view of FIG. 12;
FIG. 15 is a front elevational view of FIG. 12;
FIG. 16 is an enlarged sectional view taken along line 16—16 of FIG. 13;
FIG. 17 is a top plan view of a fifth embodiment of the transparent sliding device dampener showing a solid dampener;
FIG. 18 is a side elevational view of FIG. 17;
FIG. 19 is a rear elevational view of FIG. 17;
FIG. 20 is a front elevational view of FIG. 17;
FIG. 21 is an enlarged sectional view taken along line 21—21 of FIG. 18 showing a solid dampener; and,
FIG. 22 is an enlarged sectional view of a sixth embodiment of the transparent sliding device dampener showing an air filled dampener, and the top, sides, rear and front views are the same as the fifth embodiment shown in FIGS. 17 through 20.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 10



FIG. 9




FIG. 11




FIG. 12




FIG. 13



FIG. 14



FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 21



FIG. 20




FIG. 22