

US00D387408S

United States Patent [19]
Floreani

[11] Patent Number: Des. 387,408
[45] Date of Patent: **Dec. 9, 1997

[54] TRANSPARENT SLIDING DEVICE
DAMPENER
[75] Inventor: Adrian J. Floreani, Stateline, Nev.
[73] Assignee: Richard Floreani, New Boston, N.H.
[**] Term: 14 Years
[21] Appl. No.: 45,718
[22] Filed: Oct. 27, 1995
[51] LOC (6) Cl. 21-02
[52] U.S. Cl. D21/229; D21/230
[58] Field of Search D21/228, 229;
280/601, 602, 607, 609, 610

[56] References Cited
U.S. PATENT DOCUMENTS
4,438,946 3/1984 Piegay 280/602
4,995,630 2/1991 Piegay 280/602
5,000,475 3/1991 Gagneux et al. 280/601
5,002,300 3/1991 Pascal et al. 280/602
5,035,442 7/1991 Arnsteiner 280/602
5,199,734 4/1993 Mayr 280/607
FOREIGN PATENT DOCUMENTS
8604824 8/1986 WIPO 280/602


Primary Examiner—Kay H. Chin
Attorney, Agent, or Firm—Ladas & Parry

[57] CLAIM
The ornamental design for a transparent sliding device
dampener, as shown and described.

DESCRIPTION
FIG. 1 is a top plan view of a first embodiment of a
transparent sliding device dampener showing a liquid filled
dampener, the broken illustration of ski, arbitrary graphic
(e.g., diamonds) located on the surface of the sliding device
are for illustrative purposes only and form no part of the
claimed design;

FIG. 2 is a side elevational view of FIG. 1, the opposite side
view being a mirror image of that shown;
FIG. 3 is a rear elevational view of FIG. 1;
FIG. 4 is a front elevational view of FIG. 1;
FIG. 5 is an enlarged sectional view taken along line 5—5
of FIG. 2;
FIG. 6 is a top plan view of a second embodiment of the
transparent sliding device dampener showing a solid damp-
ener;
FIG. 7 is a side elevational view of FIG. 6;
FIG. 8 is a rear elevational view of FIG. 6;
FIG. 9 is a front elevational view of FIG. 6;
FIG. 10 is an enlarged sectional view taken along line
10—10 of FIG. 7;
FIG. 11 is an enlarged sectional view of a third embodiment
of the transparent sliding device dampener showing an air
filled dampener, and the top, sides, rear and front views are
the same as the second embodiment shown in FIGS. 6
through 9;
FIG. 12 is a top plan view of a fourth embodiment of the
transparent sliding device dampener showing a liquid filled
dampener;
FIG. 13 is a side elevational view of FIG. 12;
FIG. 14 is a rear elevational view of FIG. 12;
FIG. 15 is a front elevational view of FIG. 12;
FIG. 16 is an enlarged sectional view taken along line
16—16 of FIG. 13;
FIG. 17 is a top plan view of a fifth embodiment of the
transparent sliding device dampener showing a solid damp-
ener;
FIG. 18 is a side elevational view of FIG. 17;
FIG. 19 is a rear elevational view of FIG. 17;
FIG. 20 is a front elevational view of FIG. 17;
FIG. 21 is an enlarged sectional view taken along line
21—21 of FIG. 18 showing a solid dampener; and,
FIG. 22 is an enlarged sectional view of a sixth embodiment
of the transparent sliding device dampener showing an air
filled dampener, and the top, sides, rear and front views are
the same as the fifth embodiment shown in FIGS. 17 through
20.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3



FIG. 4



FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 10



FIG. 9




FIG. 11




FIG. 12




FIG. 13




FIG. 14



FIG. 15



FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 21



FIG. 20




FIG. 22