



US00D387678S

United States Patent [19]
Yamamoto

[11] **Patent Number: Des. 387,678**
[45] **Date of Patent: **Dec. 16, 1997**

[54] **WATCH CASE WITH A PROTECTION DEVICE**

[75] **Inventor: Hideyuki Yamamoto, Kosai, Japan**

[73] **Assignee: Casio Computer Co., Ltd., Tokyo, Japan**

[**] **Term: 14 Years**

[21] **Appl. No.: 61,149**

[22] **Filed: Oct. 16, 1996**

[51] **LOC (6) Cl. 10-02**

[52] **U.S. Cl. D10/31; D10/30**

[58] **Field of Search D10/1-40, 122-132; 368/280-282, 276-277, 28-30, 285, 239-242, 82-84, 41-44**

[56] **References Cited**

U.S. PATENT DOCUMENTS

- D. 292,678 11/1987 Takeichi D10/39
- D. 305,411 1/1990 Atagi D10/39 X

- D. 310,033 8/1990 Ito D10/30
- D. 349,248 8/1994 Yamamoto D10/38
- D. 361,284 8/1995 Nakai D10/38
- D. 377,315 1/1997 Muriai D10/38

Primary Examiner—Nelson C. Holtje
Attorney, Agent, or Firm—Frishauf, Holtz, Goodman, Langer & Chick

[57] **CLAIM**

The ornamental design for a watch case with a protection device, as shown.

DESCRIPTION

FIG. 1 is a front elevational view of a watch case with a protection device showing my new design; FIG. 2 is a right side elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a rear elevational view thereof; and, FIG. 7 is a perspective view thereof.

1 Claim, 2 Drawing Sheets




FIG. 4




FIG. 3




FIG. 1




FIG. 2




FIG. 5




FIG. 6




FIG. 7

