



US00D387764S

**United States Patent** [19]  
**Ross, Sr.**

[11] **Patent Number: Des. 387,764**  
[45] **Date of Patent: \*\*Dec. 16, 1997**

[54] **SPEAKER ENCLOSURE**

[76] **Inventor: Charles A. Ross, Sr., 9813 W. 121st St., Overland Park, Kans. 66213**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 59,810**

[22] **Filed: Sep. 17, 1996**

[51] **LOC (6) Cl. .... 14-01**

[52] **U.S. Cl. .... D14/214**

[58] **Field of Search ..... D14/204, 207, D14/209-216, 219-220; 181/144-145, 147-148, 150, 157, 159, 198-199; 381/24, 88, 90, 153, 159, 186, 188**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 231,992	7/1974	Yanagisawa et al. ....	D14/214
D. 243,023	1/1977	Robson .....	D14/214
D. 257,677	12/1980	Fujiwara .....	D14/219
D. 276,518	11/1984	Clemans .....	D14/214
D. 340,245	10/1993	Christie .....	D14/214

**OTHER PUBLICATIONS**

The AR Verticals, speaker catalog, p. 9, model No. AR 91, May 1980.

*Primary Examiner*—Sandra L. Morris  
*Assistant Examiner*—Nanda Bondade  
*Attorney, Agent, or Firm*—Chase & Yakimo

[57] **CLAIM**

The ornamental design for a speaker enclosure, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of the speaker enclosure showing my new design;

FIG. 2 is a left side view of the speaker enclosure showing my new design, the right side view being a reverse image thereof;

FIG. 3 is a rear view of the speaker enclosure showing my new design;

FIG. 4 is a top view of the speaker enclosure, the bottom view being a reverse image thereof;



FIG. 5 is a perspective view of the speaker enclosure;


FIG. 6 is a front view of an alternate embodiment of FIG. 1; and,

FIG. 7 is a perspective view of FIG. 6.


The sides, rear, top and bottom views of the embodiment disclosed in FIG. 6 are identical to FIGS. 2-4.

**1 Claim, 3 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*