



US00D387767S

United States Patent [19]

Tajima et al.

[11] Patent Number: **Des. 387,767**

[45] Date of Patent: ****Dec. 16, 1997**

[54] **ELECTROACOUSTIC TRANSDUCER**

[75] Inventors: **Kazushige Tajima; Yoshio Imahori,**
both of Shizuoka, Japan

[73] Assignee: **Star Micronics Co., Ltd.,** Shizuoka,
Japan

[**] Term: **14 Years**

[21] Appl. No.: **52,362**

[22] Filed: **Mar. 28, 1996**

[30] **Foreign Application Priority Data**

Sep. 30, 1995 [JP] Japan 7-29109

[51] LOC (6) Cl. **14-01**

[52] U.S. Cl. **D14/222**

[58] Field of Search D10/75; D14/204,
D14/217, 221, 222; 324/156; 367/175;
381/188-199

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 239,537 4/1976 Wagner D14/222

D. 333,468 2/1993 Hansen D14/222
4,901,357 2/1990 Albright 381/192
5,471,437 11/1995 Schutter et al. 367/175

FOREIGN PATENT DOCUMENTS

948056 2/1996 Japan .

Primary Examiner—Sandra L. Morris
Assistant Examiner—Nanda Bondade
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak &
Seas, PLLC

[57] **CLAIM**

The ornamental design for an electroacoustic transducer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the front, top and left side of an electroacoustic transducer showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a top plan view thereof, the bottom view being a mirror image thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevational view thereof; and, FIG. 6 is a rear elevational view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

