

US00D387961S

United States Patent [19]

Yasui et al.

[11] Patent Number: **Des. 387,961**

[45] Date of Patent: ****Dec. 23, 1997**

[54] **PORTABLE ELECTRO-HYDRAULIC CUTTER**

5,483,815 1/1996 West 72/452

[75] Inventors: **Tadashi Yasui**, Kyoto; **Kiyoko Yamaichi**, Nagano, both of Japan

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas

[73] Assignees: **Japan Storage Battery Co., Ltd.**, Kyoto; **Izumi Products Company**, Nagano, both of Japan

[57] **CLAIM**

[**] Term: **14 Years**

The ornamental design for a portable electro-hydraulic cutter, as shown.

[21] Appl. No.: **53,118**

DESCRIPTION

[22] Filed: **Apr. 15, 1996**

[30] **Foreign Application Priority Data**

Oct. 13, 1995 [JP] Japan 7-30681

[51] LOC (6) Cl. **08-03**

[52] U.S. Cl. **D8/68**

[58] Field of Search D8/68; 30/228, 30/272, 245; 72/416, 407, 453.01-453.19

FIG. 1 is a perspective view of the front and right side of a portable electro-hydraulic cutter showing our new design; FIG. 2 is a right side elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a top plan view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a front elevational view thereof; and, FIG. 7 is a rear elevational view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

5,272,811 12/1993 Armand 30/228

1 Claim, 7 Drawing Sheets




FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

