



US00D388030S

United States Patent [19]
Schuster

[11] **Patent Number:** **Des. 388,030**
[45] **Date of Patent:** ****Dec. 23, 1997**

[54] **TIRE TREAD**

[75] **Inventor:** **Daniel Edward Schuster**, North
Royalton, Ohio

[73] **Assignee:** **The Goodyear Tire & Rubber
Company**, Akron, Ohio

[**] **Term:** **14 Years**

[21] **Appl. No.:** **65,463**

[22] **Filed:** **Jan. 22, 1997**

[51] **LOC (6) Cl.** **12-15**

[52] **U.S. Cl.** **D12/142**

[58] **Field of Search** D12/136, 138,
D12/140-151; 152/209 A, 209 B, 209 D,
209 R, 209 NT

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 195,076	4/1963	Humphries		D90/20
D. 222,321	10/1971	Beaudoin et al.		D90/20
D. 241,242	8/1976	Candiliotis et al.		D12/142
D. 247,107	1/1978	Jamain		D12/146
D. 253,642	12/1979	Amarger		D12/142
D. 262,281	12/1981	Candiliotis		D12/142
D. 275,747	10/1984	Motomura et al.		D12/142
D. 277,174	1/1985	Casimiro et al.		D12/142
D. 290,103	6/1987	Makino et al.		D12/142
D. 290,941	7/1987	Matsuda		D12/142
D. 308,954	7/1990	Enoki		D12/142
D. 312,601	12/1990	Adam et al.		D12/143
D. 313,208	12/1990	Cottrell		D12/143
D. 316,239	4/1991	Tsuda et al.		D12/145
D. 317,427	6/1991	Enoki et al.		D12/143
D. 317,737	6/1991	Enoki et al.		D12/143
D. 318,035	7/1991	Enoki et al.		D12/143
D. 352,487	11/1994	Paulin		D12/143
D. 369,135	4/1996	McKisson		D12/147

D. 370,439	6/1996	Feider et al.		D12/141
3,682,220	8/1972	Verdier		152/209 D
4,484,610	11/1984	Wallet et al.		152/209 R
4,724,878	2/1988	Kabe et al.		152/209 R
4,890,658	1/1990	Kabe et al.		152/209 D
5,246,049	9/1993	Ramcke et al.		152/209 R

OTHER PUBLICATIONS

Bridgestone R194F Tire, 1994 Tread Design Guide, p. 121
Jan. 1994.

Ohtsu Hi-Steel R1300 Tire, 1995 Tread Design Guide, p.
109 Jan. 1995.

Cooper CT 240 Tire, 1995 Tread Design Guide, p. 128 Jan.
1995.

Kumho Power Fleet 982 Tire, Tread Design Guide, p. 145
Jan. 1995.

Primary Examiner—James Gandy

Assistant Examiner—Robert M. Spear

Attorney, Agent, or Firm—T. P. Lewandowski

[57] **CLAIM**

The ornamental design for a tire tread, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread, it being
understood that the pattern repeats uniformly throughout the
circumference of the tread;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view thereof, the opposite side
elevational view being identical thereto; and,

FIG. 4 is an enlarged fragmentary front perspective view
thereof.

In the drawings, the broken lines defining the inner bead of
the sidewall and the peripheral boundary between the tire
tread and the sidewall are for illustrative purposes only and
form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4