



US00D388034S

United States Patent [19]
Le et al.

[11] Patent Number: Des. 388,034
[45] Date of Patent: **Dec. 23, 1997

[54] TIRE TREAD
[75] Inventors: **Phuoc Thuan Le**, Attert; **Jacques Collette**, Bastogne, both of Belgium
[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio
[**] Term: 14 Years
[21] Appl. No.: 65,645
[22] Filed: Jan. 31, 1997

[51] LOC (6) Cl. 12-15
[52] U.S. Cl. D12/146
[58] Field of Search D12/136, 138, D12/140-151; 152/209 A, 209 B, 209 D, 209 R, 209 NT

[56] References Cited

U.S. PATENT DOCUMENTS

D. 243,756	3/1977	Makino et al.	D12/142
D. 250,946	1/1979	Germain	D12/146
D. 251,589	4/1979	Candiliotis	D12/146
D. 253,643	12/1979	Makino et al.	D12/142
D. 254,784	4/1980	Sakaki	D12/145
D. 264,703	6/1982	Nakasaka	D12/146
D. 268,492	4/1983	Grenie	D12/147
D. 269,004	5/1983	Heuer	D12/146
D. 279,364	6/1985	Kusube	D12/146
D. 279,890	7/1985	Kusube	D12/146
D. 284,178	6/1986	Kawabata et al.	D12/147
D. 291,874	9/1987	Hayakawa et al.	D12/147
D. 294,814	3/1988	Nakatami	D12/147
D. 303,944	10/1989	Himuro et al.	D12/146
D. 326,071	5/1992	Enoki et al.	D12/146
D. 340,682	10/1993	Ramcke et al.	D12/143
D. 340,897	11/1993	Kuroda	D12/147
D. 340,898	11/1993	Kuroda	D12/147
D. 345,133	3/1994	Himuro et al.	D12/147
D. 348,639	7/1994	Matsushita et al.	D12/147
D. 350,509	9/1994	Killian	D12/146
D. 352,487	11/1994	Paulin et al.	D12/143
D. 354,027	1/1995	Grosskopf	D12/146
4,230,512	10/1980	Makino et al.	152/209
4,461,334	7/1984	Tansey et al.	152/209

4,598,748	7/1986	Campos et al.	152/209
4,832,099	5/1989	Matsumoto	152/209
4,955,415	9/1990	Takeuchi et al.	152/209
4,982,775	1/1991	Matsumoto	152/209
4,986,325	1/1991	Matsumoto	152/209
5,024,260	6/1991	Ochiai	152/209
5,105,864	4/1992	Watanube et al.	152/209
5,160,385	11/1992	Goto et al.	152/209
5,295,087	3/1994	Yoshida et al.	364/578
5,417,268	5/1995	Kishi	152/209
5,417,269	5/1995	Kinoshita et al.	152/209
5,456,301	10/1995	Wise	152/209

OTHER PUBLICATIONS

Kumho All Steel 948 Tire, Tire Review Magazine, Apr. 1995, p. 38.
Heritage S/H Max-Steel Drive Tire, 1995 Tread Design Guide, p. 143, Jan. 1995.
Lassa Energia 7000 Tire, 1995 Tread Design Guide, p. 146, Jan. 1995.

(List continued on next page.)

Primary Examiner—James Gandy
Assistant Examiner—Robert M. Spear
Attorney, Agent, or Firm—T. P. Lewandowski


[57] CLAIM

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof, the opposite side elevational view being identical thereto; and,
FIG. 4 is an enlarged fragmentary front perspective view thereof.
In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



OTHER PUBLICATIONS

Yokohama TY503 Tire, 1995 Tread Design Guide, p. 164, Jan. 1995.

Photograph of Bridgestone M726 Tire, also pictured on p. 126 of "1996 Tread Design Guide", along with Bridgestone M711 and M711 Wide Base Tires, copies attached, no date given.

Co-Pending Application, Serial Number 29/054,403, Filed: May 14, 1996.

Co-Pending Application, Serial Number 29/054,409, Filed: May 14, 1996.

Co-Pending Application, Serial Number 29/055,592, Filed: Jun. 7, 1996.




FIG-1




FIG-2




FIG-3




FIG-4