

US00D388060S

United States Patent [19]
Tanaka et al.

[11] **Patent Number:** **Des. 388,060**
[45] **Date of Patent:** ****Dec. 23, 1997**

[54] **BATTERY**

[75] **Inventors:** **Yosuke Tanaka**, Kobe; **Shigehiro Uemura**, Kyoto; **Toshio Hara**, Moriguchi; **Kazuo Takada**, Nara, all of Japan

[73] **Assignee:** **Sanyo Electric Co., Ltd.**, Osaka, Japan

[**] **Term:** **14 Years**

[21] **Appl. No.:** **50,100**

[22] **Filed:** **Feb. 8, 1996**

[51] **LOC (6) Cl.** **13-02**

[52] **U.S. Cl.** **D13/103**

[58] **Field of Search** D13/103; 429/96-100, 429/187, 176

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 313,391	1/1991	Pudwill		D13/103
D. 323,642	2/1992	Liao		D13/103
D. 335,277	5/1993	Hattori		D13/103
D. 345,727	4/1994	Flowers et al.		D13/103
D. 367,258	2/1996	Olexa, Jr.		D13/103 X
D. 376,579	12/1996	Bunyea et al.		D13/103

FOREIGN PATENT DOCUMENTS

55-90144	6/1980	Japan		D13/103 X
538829	8/1980	Japan	.	
538829	9/1980	Japan	.	
590999	1/1983	Japan	.	
655406	7/1985	Japan	.	
912929	11/1994	Japan	.	

Primary Examiner—Joel Sincavage
Attorney, Agent, or Firm—Loeb & Loeb LLP


[57] **CLAIM**

The design for a battery, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a battery of the present invention;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a bottom plan view thereof;
FIG. 6 is a right elevation view thereof; and,
FIG. 7 is a left elevation view thereof.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7