



US00D388065S

# United States Patent [19]

Kawauchi et al.

[11] Patent Number: **Des. 388,065**

[45] Date of Patent: **\*\*Dec. 23, 1997**

[54] **CURSOR CONTROL INPUT DEVICE**

[75] Inventors: **Masahiko Kawauchi; Tadamitsu Sato; J. Scott Petermann**, all of San Jose; **Tark Abed**, Palo Alto, all of Calif.

[73] Assignee: **Alps Electric (USA), Inc.**, San Jose, Calif.

[\*\*] Term: **14 Years**

[21] Appl. No.: **57,910**

[22] Filed: **Aug. 2, 1996**

[51] LOC (6) Cl. .... **14-02**

[52] U.S. Cl. .... **D14/114**

[58] Field of Search ..... D14/114, 100; D13/158; D21/148; 273/148 B; 200/5 R, 5 A, 6 A, 6 R; 345/156-167; 74/471

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 285,203 8/1986 Milroy et al. .... D14/114

D. 317,151 5/1991 Daly ..... D14/114  
D. 366,037 1/1996 Kwauchi et al. .... D14/114  
4,927,986 5/1990 Daly ..... 178/18

*Primary Examiner*—Kay H. Chin  
*Attorney, Agent, or Firm*—Guy W. Shoup; Patrick T. Bever


[57] **CLAIM**


The ornamental design for a cursor control input device, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective front view of a cursor control input device;  
FIG. 2 is a side view thereof;  
FIG. 3 is a front view thereof;  
FIG. 4 is a rear view thereof;  
FIG. 5 is a top plan view thereof; and,  
FIG. 6 is a bottom plan view thereof.

**1 Claim, 2 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 5**



**FIG. 4**



**FIG. 6**