



US00D388065S

United States Patent [19]

Kawauchi et al.

[11] Patent Number: **Des. 388,065**

[45] Date of Patent: ****Dec. 23, 1997**

[54] **CURSOR CONTROL INPUT DEVICE**

[75] Inventors: **Masahiko Kawauchi; Tadamitsu Sato; J. Scott Petermann**, all of San Jose; **Tark Abed**, Palo Alto, all of Calif.

[73] Assignee: **Alps Electric (USA), Inc.**, San Jose, Calif.

[**] Term: **14 Years**

[21] Appl. No.: **57,910**

[22] Filed: **Aug. 2, 1996**

[51] LOC (6) Cl. **14-02**

[52] U.S. Cl. **D14/114**

[58] Field of Search D14/114, 100; D13/158; D21/148; 273/148 B; 200/5 R, 5 A, 6 A, 6 R; 345/156-167; 74/471

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 285,203 8/1986 Milroy et al. D14/114

D. 317,151 5/1991 Daly D14/114

D. 366,037 1/1996 Kwauchi et al. D14/114

4,927,986 5/1990 Daly 178/18

Primary Examiner—Kay H. Chin

Attorney, Agent, or Firm—Guy W. Shoup; Patrick T. Bever

[57] **CLAIM**

The ornamental design for a cursor control input device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective front view of a cursor control input device;

FIG. 2 is a side view thereof;


FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 5




FIG. 4




FIG. 6