



US00D388197S

**United States Patent** [19]  
**Cardosi**

[11] **Patent Number: Des. 388,197**  
[45] **Date of Patent: \*\*Dec. 23, 1997**

[54] **CANDLE HOLDER**  
[75] **Inventor: Leo Cardosi, Aiken, S.C.**  
[73] **Assignee: Gorham Bronze, Aiken, S.C.**  
[\*\*] **Term: 14 Years**  
[21] **Appl. No.: 36,971**  
[22] **Filed: Mar. 31, 1995**  
[51] **LOC (6) Cl. .... 26-01**  
[52] **U.S. Cl. .... D26/9**  
[58] **Field of Search .... D26/6-19, 37,**  
**D26/38; 362/161-3, 392-3; 431/290-2,**  
**296-7, 299, 288-9**

3,556,704	1/1971	Grasznick .....	431/290
3,574,498	4/1971	Zarinsky .....	431/126
3,583,853	6/1971	Schramm .....	431/291
3,726,632	4/1973	Connolly .....	431/126
3,743,473	7/1973	Von Suskil .....	431/297
3,819,455	6/1974	MacKendrick .....	161/7
3,932,113	1/1976	Thrush .....	431/297
3,994,502	11/1976	Lombardi .....	274/2
4,181,927	1/1980	Garcia .....	362/163
4,240,783	12/1980	Nevin et al. ....	431/253
4,262,325	4/1981	Garcia .....	362/121
4,524,408	6/1985	Minera .....	361/163
4,544,351	10/1985	Marsicano .....	431/288
4,566,055	1/1986	Klees et al. ....	362/162
4,680,683	7/1987	Schenke et al. ....	362/190
4,681,534	7/1987	Schenke et al. ....	431/290
4,721,455	1/1988	Barfus .....	431/295
4,884,966	12/1989	Wexler .....	431/295
4,931,013	6/1990	Scott et al. ....	431/126
4,938,688	7/1990	Wexler .....	431/295

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

Re. 20,434	7/1937	Barrett .....	362/161
D. 199,583	11/1964	Rogers .....	D26/11
D. 207,239	3/1967	Guilfoil .....	D26/11
D. 208,065	7/1967	Colletti .....	D26/11
D. 258,389	2/1981	Sabin .....	D26/22
D. 262,913	2/1982	Glass .....	D26/13
D. 264,385	5/1982	Meyer .....	D26/9
D. 271,056	10/1983	Perkins .....	D26/11
D. 279,129	6/1985	Wendt .....	D26/9
D. 285,159	8/1986	Wexler .....	D7/83
D. 286,845	11/1986	Jones .....	D7/52
D. 289,799	5/1987	Flaherty .....	D26/9
D. 296,138	6/1988	Cheng .....	D26/10
D. 298,859	12/1988	Crisci .....	D26/10
D. 302,318	7/1989	O'Donnell .....	D26/9
D. 312,507	11/1990	Thoreson .....	D26/23
D. 312,883	12/1990	O'Donnell .....	D26/20
D. 313,479	1/1991	Goldberg .....	D26/16
D. 321,566	11/1991	Hoelterscheidt .....	D26/9
D. 325,446	4/1992	Collymore .....	D26/13
D. 328,446	8/1992	Wokeck .....	D26/9
D. 330,345	10/1992	Elmer .....	D11/125
D. 336,526	6/1993	Marienberg .....	D26/11
D. 340,297	10/1993	Hanson .....	D26/9
2,291,072	7/1942	Dahle .....	362/161
2,439,467	4/1948	Guilfoil .....	362/161
3,244,872	4/1966	McCormick .....	240/16
3,368,693	2/1968	Bochory .....	211/126
3,493,315	2/1970	Nissen .....	431/295

(List continued on next page.)

*Primary Examiner*—Alan P. Douglas  
*Assistant Examiner*—Robin V. Taylor  
*Attorney, Agent, or Firm*—Maria Reichmanis


[57] **CLAIM**

The ornamental design for a candle holder, as shown and described.


**DESCRIPTION**

FIG. 1 is a partially exploded, rear perspective view of a candle holder showing my new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom partially exploded perspective view thereof;  
FIG. 5 is a bottom plan view thereof with the spike removed;  
FIG. 6 is a left side view thereof;  
FIG. 7 is a right side view thereof; and,  
FIG. 8 is a partial right side elevational view of the embodiment of FIG. 4, the left, front, and rear elevational views being identical thereto.  
The handle is shown broken away in FIG. 1 for clarity of illustration.


**1 Claim, 6 Drawing Sheets**



U.S. PATENT DOCUMENTS			
4,955,807	9/1990	Chance et al. ....	431/296
5,055,035	10/1991	Hancovsky .....	362/161
5,078,945	1/1992	Byron .....	264/278
5,101,328	3/1992	Hai .....	362/163
5,197,454	3/1993	Lee .....	126/9 R
5,199,781	4/1993	Sweeny .....	362/145
5,292,245	3/1994	Spoonhour .....	431/292





*Fig. 1*



*Fig. 2*





*Fig. 3*




*Fig. 4*

*Fig. 5*






*Fig. 6*



*Fig. 7*



*Fig. 8*