



US00D388309S

United States Patent [19]

[11] Patent Number: **Des. 388,309**

Hamilton et al.

[45] Date of Patent: ****Dec. 30, 1997**

[54] ELECTRONIC COMBINATION LOCK HOUSING

[75] Inventors: **James D. Hamilton; Kenneth Harold Mimalitch; William Thomas Muetterties**, all of Lexington; **Raymond Herman Reichenbach**, Salvisa, all of Ky.

[73] Assignee: **Mas-Hamilton Group**, Lexington, Ky.

[**] Term: **14 Years**

[21] Appl. No.: **64,045**

[22] Filed: **Dec. 20, 1996**

[51] LOC (6) Cl. **08-07**

[52] U.S. Cl. **D8/330**

[58] Field of Search D8/330, 331, 332, D8/343; D10/104, 106, 109; 70/277, 279, 287, 288, 214, 133

[56] References Cited

U.S. PATENT DOCUMENTS

D. 354,922	1/1995	Gartner	D10/106
4,422,312	12/1983	Chermoni	70/133
4,799,371	1/1989	Duncan	70/214

OTHER PUBLICATIONS

Sargeant and Greenleaf product information sheet S&G 630-320 10M API, 3 pages. 1995.

Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Laurence R. Letson

[57] CLAIM

The ornamental design for an electronic combination lock housing, as shown and described.

DESCRIPTION

FIG. 1 is a left elevated perspective view of our first embodiment of an electronic combination lock housing showing our new design;
FIG. 2 is a right depressed perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a left elevational perspective view of a second embodiment thereof;
FIG. 5 is a right depressed perspective view thereof;
FIG. 6 is a front elevational view thereof; and,
FIG. 7 is a rear elevational view of the back of both embodiments.

1 Claim, 3 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

