



US00D388310S

# United States Patent [19]

[11] Patent Number: **Des. 388,310**

**Ling**

[45] Date of Patent: **\*\*Dec. 30, 1997**

[54] **RETRACTABLE WIRE COMBINATION LOCK WITH ALARMING DEVICE**

D. 296,659 7/1988 Sakai ..... D8/331  
4,543,806 10/1985 Papandreau et al. .... 70/30

[76] Inventor: **Chong-Kuan Ling, C/O Sinox Co., Ltd. P.O. Box 96-156, Taipei, Taiwan**

*Primary Examiner*—Brian N. Vinson

[\*\*] Term: **14 Years**

### [57] CLAIM

[21] Appl. No.: **61,894**

The ornamental design for retractable wire combination lock with alarming device, as shown and described.

[22] Filed: **Nov. 1, 1996**

### DESCRIPTION

[51] LOC (6) CL ..... **08-07**

FIG. 1 is a perspective view of a retractable wire combination lock with alarming device showing my new design;

[52] U.S. Cl. .... **D8/332; D8/333**

FIG. 2 is a front elevational view;

[58] Field of Search ..... **D8/332, 333, 330, D8/331; 70/14, 20, 22-23, 30, 57-58, 233**

FIG. 3 is a rear elevational view;

FIG. 4 is a left side elevational view;

FIG. 5 is a right side elevational view;

FIG. 6 is a top plan view; and,


FIG. 7 is a bottom plan view.

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 272,986 3/1984 DeStefano ..... D8/331

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3





FIG. 4

FIG. 5






FIG. 6




FIG. 7