



US00D388343S

United States Patent [19]

Yamauchi et al.

[11] Patent Number: Des. 388,343

[45] Date of Patent: **Dec. 30, 1997

[54] EAR-INSERTED-TYPE CLINICAL THERMOMETER

[75] Inventors: **Takanobu Yamauchi**, Kyoto; **Yutaka Kobayashi**, Osaka, both of Japan; **Steven M. Montgomery**, Valley Village, Calif.

[73] Assignee: **Omron Corporation**, Kyoto, Japan

[**] Term: 14 Years

[21] Appl. No.: 61,231

[22] Filed: Oct. 18, 1996

[30] Foreign Application Priority Data

Apr. 22, 1996 [JP] Japan 8-11843

[51] LOC (6) Cl. 10-04

[52] U.S. Cl. D10/57

[58] Field of Search D10/57; 128/664, 128/736; 374/130-132, 158, 170, 208

[56] References Cited**U.S. PATENT DOCUMENTS**

D. 377,317 1/1997 Hartwein D10/57

5,167,235 12/1992 Seacord et al. 128/664
5,487,607 1/1996 Makita et al. 128/736 X
5,522,662 6/1996 Shiokawa 374/130

Primary Examiner—Antoine Duval Davis

Attorney, Agent, or Firm—Sughrue, Mion, Zinn, Macpeak & Seas, PLLC

[57]

CLAIM

The ornamental design for an ear-inserted-type clinical thermometer, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an ear-inserted-type clinical thermometer showing our new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a left side elevational view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a perspective view of the front and right side thereof;
FIG. 8 is a perspective view of the rear and left side thereof; and,
FIG. 9 is a perspective view simile to FIG. 7 with the electricity turned on.

1 Claim, 2 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6




FIG. 8




FIG. 9

