



US00D388346S

United States Patent [19]

Arnoux et al.

[11] Patent Number: **Des. 388,346**

[45] Date of Patent: *****Dec. 30, 1997**

[54] **CLAMP-ON CURRENT PROBE**

D. 374,405 10/1996 Rawsthorne D10/79
5,495,169 2/1996 Smith 324/127

[75] Inventors: **Daniel Arnoux; Axel Arnoux**, both of Paris, France

Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—John L. Welch

[73] Assignee: **Societe Chauvin Arnoux**, Paris, France

[*] Notice: The portion of the term of this patent subsequent to Sep. 23, 2011, has been disclaimed.

[57] CLAIM

The ornamental design for a clamp-on current probe, as shown.

[**] Term: **14 Years**

DESCRIPTION

[21] Appl. No.: **51,096**

FIG. 1 is a front elevational view of the clamp-on current probe according to our new design;

[22] Filed: **Mar. 5, 1996**

FIG. 2 is a bottom plan view of the clamp-on current probe of FIG. 1;

[51] LOC (6) Cl. **10-04**

[52] U.S. Cl. **D10/79**

[58] Field of Search D10/79; 324/126,
324/127; 336/175, 212

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a left side elevational view thereof, as seen from the left side of FIG. 1; and,


FIG. 6 is a right side elevational view thereof.

[56] References Cited

U.S. PATENT DOCUMENTS

D. 359,006 6/1995 McCain et al. D10/79

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6