



US00D388346S

United States Patent [19]
Arnoux et al.

[11] **Patent Number:** **Des. 388,346**
[45] **Date of Patent:** *****Dec. 30, 1997**

[54] **CLAMP-ON CURRENT PROBE**
[75] **Inventors:** **Daniel Arnoux; Axel Arnoux**, both of
Paris, France
[73] **Assignee:** **Societe Chauvin Arnoux**, Paris, France
[*] **Notice:** The portion of the term of this patent
subsequent to Sep. 23, 2011, has been
disclaimed.
[**] **Term:** **14 Years**

[21] **Appl. No.:** **51,096**
[22] **Filed:** **Mar. 5, 1996**
[51] **LOC (6) Cl.** **10-04**
[52] **U.S. Cl.** **D10/79**
[58] **Field of Search** **D10/79; 324/126,**
324/127; 336/175, 212

[56] **References Cited**
U.S. PATENT DOCUMENTS

D. 359,006 6/1995 McCain et al. D10/79


D. 374,405 10/1996 Rawsthorne D10/79
5,495,169 2/1996 Smith 324/127
Primary Examiner—Antoine Duval Davis
Attorney, Agent, or Firm—John L. Welch

[57] **CLAIM**
The ornamental design for a clamp-on current probe, as
shown.

DESCRIPTION

FIG. 1 is a front elevational view of the clamp-on current
probe according to our new design;
FIG. 2 is a bottom plan view of the clamp-on current probe
of FIG. 1;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a left side elevational view thereof, as seen from
the left side of FIG. 1; and,
FIG. 6 is a right side elevational view thereof.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6