



US00D388606S

# United States Patent [19]

Zak et al.

[11] Patent Number: **Des. 388,606**

[45] Date of Patent: **\*\*Jan. 6, 1998**

[54] **FISH-SHAPED TACKLE CONTAINER AND CARRYING CASE**

[76] Inventors: **Roger W. Zak**, P.O. Box 871184; **Jay D. James**, P.O. Box 871327, both of Wasilla, Ak. 99687

[\*\*] Term: **14 Years**

[21] Appl. No.: **57,402**

[22] Filed: **Jul. 24, 1996**

[51] LOC (6) Cl. .... **03-01**

[52] U.S. Cl. .... **D3/260; D3/904; D3/905**

[58] Field of Search ..... **D3/260, 235, 904, D3/905; D22/134, 136, 144; 224/103, 920; 43/57.1, 54.1, 25.2, 26, 25; 206/315.11**

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 328,183	7/1992	Harris	.....	D3/260
D. 340,576	10/1993	Delagarza et al.	.....	D3/260
2,849,825	9/1958	Reisner	.....	43/25.2
4,015,361	4/1977	O'Reilly et al.	.....	43/25.2
4,536,985	8/1985	Caviness	.....	43/26.2 X
5,233,783	8/1993	Roebuck et al.	.....	43/25.2

*Primary Examiner*—Doris V. Coles  
*Assistant Examiner*—Catherine R. Oliver  
*Attorney, Agent, or Firm*—Michael Travella


### [57] CLAIM

The ornamental design for a fish-shaped tackle container and carrying case, as shown and described.

### DESCRIPTION

FIG. 1 is a left side elevational view showing the first embodiment of my new design;  
 FIG. 2 is a right side elevational view showing the first embodiment of my new design the strap is shown broken away for convenience of illustration;  
 FIG. 3 is a top plan view thereof;  
 FIG. 4 is a bottom plan view thereof;  
 FIG. 5 is a front elevational view thereof;  
 FIG. 6 is a rear elevational view thereof;  
 FIG. 7 is a rear perspective view thereof;  
 FIG. 8 is a front perspective view thereof, with an access door shown in the open position;  
 FIG. 9 is a left side elevational view showing the second embodiment of my new design;  
 FIG. 10 is a right side elevational side view showing the second embodiment of my new design;  
 FIG. 11 is a top plan view thereof;  
 FIG. 12 is a bottom plan view thereof;  
 FIG. 13 is a front elevational view thereof;  
 FIG. 14 is a rear elevational view thereof;  
 FIG. 15 is a rear perspective view thereof with an access door closed the strap is shown broken away for convenience of illustration; and,  
 FIG. 16 is a rear perspective view thereof, with the access door shown in the open position the strap is shown broken away for convenience of illustration.

**1 Claim, 12 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 6




Fig. 5




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 14




Fig. 13




Fig. 15




Fig. 16