



US00D388688S

United States Patent [19]
Yang

[11] **Patent Number: Des. 388,688**
[45] **Date of Patent: **Jan. 6, 1998**

[54] **LOCK**
[76] **Inventor: Kuo-tsung Yang, 2nd Fl., No. 5, Alley 10, Lane 321, Hsinming Rd., Taipei, Taiwan**
[**] **Term: 14 Years**
[21] **Appl. No.: 64,054**
[22] **Filed: Dec. 20, 1996**
[51] **LOC (6) Cl. 08-07**
[52] **U.S. Cl. D8/334**
[58] **Field of Search D8/333, 334; 70/20-22, 70/24, 27-29, 35, 41-44, 52**

1,172,970 2/1916 Fowler D8/334 X
1,949,402 3/1934 Beaver D8/334 X
4,107,965 8/1978 Miller et al. 70/52

Primary Examiner—Brian N. Vinson
Attorney, Agent, or Firm—Martin Korn

[57] **CLAIM**

The ornamental design for a lock, as shown.


DESCRIPTION

FIG. 1 is a perspective view from the front, top and left side of a lock showing my new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a right side elevational view thereof;
FIG. 6 is a bottom plane view thereof; and,
FIG. 7 is a bottom plane view thereof.

[56] **References Cited**
U.S. PATENT DOCUMENTS

D. 315,090 3/1991 Pederson D8/334
D. 339,055 9/1993 Ling D8/334

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 6




FIG. 4




FIG. 2




FIG. 5




FIG. 7




FIG. 3