



US00D388720S

United States Patent [19]
Montgomery

[11] **Patent Number:** **Des. 388,720**
[45] **Date of Patent:** ****Jan. 6, 1998**

[54] **COMBINED TRANSMITTER AND
RECEIVER FOR LOCATING LOST
INDIVIDUALS**

[76] **Inventor:** **DeQuin J. Montgomery**, 9501
Brockbank #1102, Dallas, Tex. 75220

[**] **Term:** **14 Years**

[21] **Appl. No.:** **27,720**

[22] **Filed:** **Aug. 29, 1994**

[51] **LOC (6) Cl.** **10-05**

[52] **U.S. Cl.** **D10/104**

[58] **Field of Search** D10/104, 106,
D10/121; D14/155; 340/328, 571, 572,
573, 689

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 338,846 8/1993 Jewell D10/106

D. 339,757 9/1993 Feeney D10/106
D. 346,125 4/1994 Cote et al. D10/106

Primary Examiner—Marcus A. Jackson

[57] **CLAIM**

The ornamental design for “a combined transmitter and receiver for locating lost individuals”, as shown.

DESCRIPTION

FIG. 1 is a perspective view of “a combined transmitter and receiver for locating lost individuals”;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;



FIG. 4 is a right side elevational view thereof;


FIG. 5 is a left side elevational view thereof;

FIG. 6 is a top plan elevational view thereof; and,

FIG. 7 is a bottom plan elevational view thereof.

1 Claim, 4 Drawing Sheets









FIG. 2





FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 7