



US00D388803S

**United States Patent** [19]  
**Shinano**

[11] **Patent Number:** **Des. 388,803**  
[45] **Date of Patent:** **\*\*Jan. 6, 1998**

[54] **IMAGE INPUTTING DEVICE**

[75] **Inventor:** **Toru Shinano**, Yokohama, Japan

[73] **Assignee:** **Canon Kabushiki Kaisha**, Tokyo, Japan

[\*\*] **Term:** **14 Years**

[21] **Appl. No.:** **48,950**

[22] **Filed:** **Jan. 16, 1996**

[30] **Foreign Application Priority Data**

Jul. 18, 1995 [JP] Japan ..... 7-20729

[51] **LOC (6) Cl.** ..... **16-01**

[52] **U.S. Cl.** ..... **D16/202; D14/107**

[58] **Field of Search** ..... D14/100, 105,  
D14/107, 130, 114; D16/200-205, 208;  
348/14, 15-20, 373-376; 379/53; 396/29,  
535, 544

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 305,643 1/1990 Stark et al. .... D14/105  
D. 312,649 12/1990 Sakuta ..... D16/203

D. 319,068 8/1991 Shinano ..... D16/202  
D. 341,614 11/1993 Okamoto ..... D16/200  
D. 370,010 5/1996 Clapp et al. .... D14/130

**FOREIGN PATENT DOCUMENTS**

785319 6/1992 Japan ..... D14/100

*Primary Examiner*—Philip S. Hyder  
*Assistant Examiner*—Adir Aronovich  
*Attorney, Agent, or Firm*—Fitzpatrick, Cella, Harper & Scinto

[57] **CLAIM**

The ornamental design for an image inputting device, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of an image inputting device showing my new design;  
FIG. 2 is a rear view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a left side view thereof;  
FIG. 6 is a right side view thereof; and,  
FIG. 7 is a perspective view thereof.

**1 Claim, 5 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3






FIG. 4



*FIG. 5*



*FIG. 6*




FIG. 7

