



US00D388844S

United States Patent [19]

Bonko

[11] Patent Number: **Des. 388,844**

[45] Date of Patent: ****Jan. 6, 1998**

[54] TREAD FOR A TIRE

4,982,773 1/1991 Bonko 152/209 B
4,982,775 1/1991 Matsumoto 152/209 B

[75] Inventor: **Mark Leonard Bonko**, Uniontown, Ohio

OTHER PUBLICATIONS

[73] Assignee: **The Goodyear Tire & Rubber Company**, Akron, Ohio

U.S. Royal Earth Mover Full Traction Tire, U.S. Royal Tubeless and Tubed Off-Road Tires, Sales and Engineering Manual, p. 7, Mar. 1959.
Goodyear Rear Wheel Industrial Torpoe Radial Tire, 1995 Tread Design Guide, p. 194, Jan. 1995.

[**] Term: **14 Years**

Primary Examiner—James Gandy
Assistant Examiner—Robert M. Spear
Attorney, Agent, or Firm—David L. King

[21] Appl. No.: **58,946**

[22] Filed: **Aug. 29, 1996**

[51] LOC (6) Cl. **12-15**

[52] U.S. Cl. **D12/146**

[58] Field of Search **D12/136, 138, D12/140-151; 152/209 B, 209 D, 209 R**

[57] CLAIM

The ornamental design for a tread for a tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of my new design, it being understood that the tread pattern is repeated throughout the circumference of the tread for a tire, the opposite side being substantially a mirror image thereof;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a side elevational view;

FIG. 4 is an opposite side elevational view thereof; and,

FIG. 5 is an enlarged fragmentary front elevational view taken from FIG. 2.


The broken lines defining the tire inner bead are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets

References Cited

U.S. PATENT DOCUMENTS

D. 155,065	9/1949	Bete	D12/146
D. 255,674	7/1980	Menin	D12/147
D. 256,008	7/1980	Menin	D12/147
D. 303,365	9/1989	Bonko	D12/146
D. 303,366	9/1989	Bonko	D12/146
D. 303,779	10/1989	Bonko	D12/151
D. 304,320	10/1989	Bonko	D12/151
D. 309,125	7/1990	Bonko et al.	D12/151
D. 333,453	2/1993	Cook et al.	D12/147
D. 336,269	6/1993	Hinrichsen et al.	D12/147
D. 350,093	8/1994	Fukushima	D12/147
D. 363,907	11/1995	Bonko	D12/151
D. 371,097	6/1996	Fukushima	D12/147






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5