



US00D388939S

United States Patent [19]

[11] Patent Number: **Des. 388,939**

Beam

[45] Date of Patent: ****Jan. 13, 1998**

[54] **INFANT SOCK AND SLEEPER FOOT
RETAINING DEVICE**

D. 320,301	10/1991	Park	D2/919	X
1,852,300	4/1932	Grosvenor	36/112	
2,177,321	10/1939	Iwan	36/112	X
2,215,135	9/1940	Schulte	2/239	X
2,430,466	11/1947	Hedman	36/7.8	X
4,616,428	10/1986	Leger	36/7.1	R

[76] Inventor: **Stacy Nation Beam**, 113 Christine,
Pauls Valley, Okla. 73075

[**] Term: **14 Years**

Primary Examiner—Louis S. Zarfaz
Assistant Examiner—Monica A. Weingart

[21] Appl. No.: **60,798**

[57] **CLAIM**

[22] Filed: **Oct. 7, 1996**

The ornamental design for an infant sock and sleeper foot retaining device, as shown and described.

[51] **LOC (6) Cl.** **02-04**

DESCRIPTION

[52] **U.S. Cl.** **D2/900; D2/909; D2/919;**
D2/920

[58] **Field of Search** D2/896, 897, 898,
D2/899, 900, 909, 910, 919, 920, 921,
923, 924, 946, 948, 977, 980, 981, 982;
36/2 R, 7.1 R, 7.3, 7.32, 7.8, 8.1, 9 R,
112, 136, 137, 8.2; 2/239

FIG. 1 is a front elevational view of the infant sock and sleeper foot retaining device showing my new design;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a right side elevational view thereof;
FIG. 4 is a left side elevational view thereof;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 177,810 5/1956 Hiestand D2/920

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

