



US00D388939S

# United States Patent [19]

[11] Patent Number: **Des. 388,939**

Beam

[45] Date of Patent: **\*\*Jan. 13, 1998**

[54] **INFANT SOCK AND SLEEPER FOOT  
RETAINING DEVICE**

D. 320,301	10/1991	Park	.....	D2/919	X
1,852,300	4/1932	Grosvenor	.....	36/112	
2,177,321	10/1939	Iwan	.....	36/112	X
2,215,135	9/1940	Schulte	.....	2/239	X
2,430,466	11/1947	Hedman	.....	36/7.8	X
4,616,428	10/1986	Leger	.....	36/7.1	R

[76] Inventor: **Stacy Nation Beam**, 113 Christine,  
Pauls Valley, Okla. 73075

[\*\*] Term: **14 Years**

*Primary Examiner*—Louis S. Zarfaz  
*Assistant Examiner*—Monica A. Weingart

[21] Appl. No.: **60,798**

[57] **CLAIM**

[22] Filed: **Oct. 7, 1996**

The ornamental design for an infant sock and sleeper foot retaining device, as shown and described.

[51] **LOC (6) Cl.** ..... **02-04**

**DESCRIPTION**

[52] **U.S. Cl.** ..... **D2/900; D2/909; D2/919;**  
D2/920

[58] **Field of Search** ..... D2/896, 897, 898,  
D2/899, 900, 909, 910, 919, 920, 921,  
923, 924, 946, 948, 977, 980, 981, 982;  
36/2 R, 7.1 R, 7.3, 7.32, 7.8, 8.1, 9 R,  
112, 136, 137, 8.2; 2/239

FIG. 1 is a front elevational view of the infant sock and sleeper foot retaining device showing my new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a right side elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a top plan view thereof; and,  
FIG. 6 is a bottom plan view thereof.

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 177,810 5/1956 Hiestand ..... D2/920

**1 Claim, 3 Drawing Sheets**




FIG. 1






FIG. 2



*FIG. 3*



*FIG. 4*




FIG. 5




FIG. 6

