



US00D388992S

# United States Patent [19]

[11] Patent Number: **Des. 388,992**

Weisburn et al.

[45] Date of Patent: **\*\*Jan. 13, 1998**

## [54] CORNER STORAGE SHELF

[76] Inventors: **James T. Weisburn**, 902 Marion Ave., Massillon, Ohio 44646; **Craig Saunders**, 21260 Stratford Ave., Rocky River, Ohio 44166; **Jesse P. Carlson**, 4908 Franklin Blvd. #1, Cleveland, Ohio 44102; **Jeffrey M. Kalman**, 1849 Cadwell Ave., Cleveland Heights, Ohio 44118

[\*\*] Term: **14 Years**

[21] Appl. No.: **64,550**

[22] Filed: **Jan. 6, 1997**

[51] LOC (6) Cl. .... **06-04**

[52] U.S. Cl. .... **D6/562**

[58] Field of Search ..... D6/574, 562, 525, D6/548, 552, 553, 566-567; 108/152; 211/86-90, 126.12, 134, 13.1

### [56] References Cited

#### U.S. PATENT DOCUMENTS

D. 313,720	1/1991	Sorenson et al. ....	D6/574
D. 315,844	4/1991	Enthoven .....	D6/574
D. 364,527	11/1995	Moon .....	D6/574
1,654,409	12/1927	Browne .....	211/90 X
2,657,811	11/1953	Isler .....	211/90
2,828,044	3/1958	Reiss et al. ....	211/90 X
3,392,847	7/1968	Holland et al. ....	211/13.1
4,708,310	11/1987	Smith .....	211/90 X
5,253,768	10/1993	Traversa et al. ....	211/65

*Primary Examiner*—Pamela J. Burgess  
*Attorney, Agent, or Firm*—Sand & Sebolt

### [57] CLAIM

The ornamental design for a corner storage shelf, as shown and described.

### DESCRIPTION

FIG. 1 is a top perspective view of a corner storage shelf showing our new design;

FIG. 2 is a front elevational view of the corner storage shelf of FIG. 1;

FIG. 3 is an elevational view looking in the direction of arrows 3—3, FIG. 6;

FIG. 4 is an elevational view looking in the direction of arrows 4—4; FIG. 6;

FIG. 5 is a rear elevational view of FIG. 2;

FIG. 6 is a top plan view of FIG. 2;

FIG. 7 is a bottom plan view of FIG. 6;

FIG. 8 is a top perspective view similar to FIG. 1 of a modified embodiment of the corner storage shelf;

FIG. 9 is a front elevational view of FIG. 8;

FIG. 10 is an elevational view of FIG. 13 similar to that of FIG. 3;

FIG. 11 is an elevational view of FIG. 13 similar to that of FIG. 4;


FIG. 12 is a rear elevational view of FIG. 9;

FIG. 13 is a top plan view of FIG. 9; and,

FIG. 14 is a bottom plan view of FIG. 13.

It is understood that FIGS. 10 and 11 of the modified embodiment are looking in the same direction of the arrows shown in 3—3, FIG. 6 but applied to FIG. 13 .

**1 Claim, 11 Drawing Sheets**






FIG-1




FIG-2




FIG-3




FIG-4




FIG-5




FIG-6






FIG--7




FIG-8




FIG-9




FIG-10






FIG-11




FIG-12




FIG-13




FIG-14