



US00D389069S

United States Patent [19]

Steinhagen et al.

[11] Patent Number: **Des. 389,069**

[45] Date of Patent: ****Jan. 13, 1998**

[54] **COMBINED CLOCK, COMPASS AND THERMOMETER**

[75] Inventors: **Thomas R. Steinhagen; John E. Schenken**, both of West Des Moines; **Charles A. Haas**, Des Moines, all of Iowa

[73] Assignee: **Cobbs Manufacturing Company**, Des Moines, Iowa

[**] Term: **14 Years**

[21] Appl. No.: **63,900**

[22] Filed: **Dec. 18, 1996**

[51] LOC (6) Cl. **10-01**

[52] U.S. Cl. **D10/2; D10/54; D10/68**

[58] Field of Search **D10/1-2, 4, 14, D10/57, 68, 53, 102; 368/10**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 160,077 9/1950 Eaves D10/4

D. 255,431	6/1980	Marmorale	D10/68
D. 286,751	11/1986	Hsieh	D10/2
D. 287,943	1/1987	Tanaka	D10/68 X
D. 300,304	3/1989	Iacovelli	D10/2
D. 303,933	10/1989	Iacovelli	D10/2
D. 303,934	10/1989	Iacovelli	D10/2

Primary Examiner—Nelson C. Holtje

[57] **CLAIM**

The ornamental design for a combined clock, compass and thermometer, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view;
FIG. 2 is a top view;
FIG. 3 is a left end view;
FIG. 4 is a right end view, showing the support stand in a partial open position;
FIG. 5 is a rear elevational view; and,
FIG. 6 is a front perspective view.

1 Claim, 2 Drawing Sheets




Fig 1




Fig 2




Fig 3




Fig 4




Fig 5




Fig 6

