



US00D389125S

# United States Patent [19]

Yamasaki et al.

[11] Patent Number: **Des. 389,125**

[45] Date of Patent: **\*\*Jan. 13, 1998**

- [54] **INFORMATION TERMINAL DEVICE FOR VEHICLE**
- [75] Inventors: **Kazumoto Yamasaki, Kariya; Kazuo Inukai, Nagoya; Tatsuhide Hoshi, Toyota, all of Japan**
- [73] Assignee: **Nippondenso Co., Ltd., Kariya, Japan**
- [\*\*] Term: **14 Years**

8408553	3/1993	Japan .
863225	3/1993	Japan .
863226	3/1993	Japan .
863227	3/1993	Japan .
863228	3/1993	Japan .
863229	3/1993	Japan .
8632291	3/1993	Japan .
870792	6/1993	Japan .
870793	6/1993	Japan .
8408554	10/1993	Japan .
8408555	10/1993	Japan .

- [21] Appl. No.: **53,901**
- [22] Filed: **May 1, 1996**
- [30] **Foreign Application Priority Data**  
Nov. 1, 1995 [JP] Japan ..... 7-33180
- [51] **LOC (6) Cl.** ..... **14-02**
- [52] **U.S. Cl.** ..... **D14/100; D12/192; D10/65**
- [58] **Field of Search** ..... **D14/100, 101, D14/106, 113, 115; D18/1, 2, 7; 235/145 A, 145 R; 341/22, 23; 345/104, 156, 168, 173, 901-905; 361/680-686; 364/708.1, 436, 443, 444.1, 444.2, 460, 449.1, 449.2, 449.5; D12/192, 400, 415; 224/400; D10/65; 340/988, 989, 990-996; 342/451**

### OTHER PUBLICATIONS

"A Guide for Zexel Products Exhibited at 31st Tokyo Motor Show".

*Primary Examiner*—Freda Nunn  
*Attorney, Agent, or Firm*—Cushman Darby & Cushman Intellectual Property Group of Pillsbury Madison & Sutro LLP

- [56] **References Cited**
- U.S. PATENT DOCUMENTS**
- D. 247,173 2/1978 Peter et al. .... D14/106
- D. 302,540 8/1989 Arenas et al. .... D12/400
- D. 335,822 5/1993 Yamamuro et al. .... D10/65
- D. 354,948 1/1995 Moodie ..... D12/192 X
- D. 359,920 7/1995 Sakamoto ..... D10/65
- D. 364,840 12/1995 Oshizawa et al. .... D12/192
- 4,481,584 11/1984 Holland ..... 364/443
- 4,800,502 1/1989 Steward et al. .... D10/65 X
- 5,059,970 10/1991 Raubenheimer et al. .... 342/451
- 5,173,686 12/1992 Fujihara ..... D14/100 X
- 5,243,528 9/1993 Lefebvre ..... 364/449.5

[57] **CLAIM**  
The ornamental design for an information terminal device for vehicle, as shown and described.

### DESCRIPTION

FIG. 1 is a front view of the information terminal device;  
 FIG. 2 is a rear view thereof;  
 FIG. 3 is a top view thereof;  
 FIG. 4 is a bottom view thereof;  
 FIG. 5 is a left side view thereof;  
 FIG. 6 is a right side view thereof;  
 FIG. 7 is a front right perspective view thereof;  
 FIG. 8 is a front view of the information terminal device in which a display portion thereof is in a tucked position;  
 FIG. 9 is a right side view of the information terminal device in which the display portion thereof is in the tucked position;  
 FIG. 10 is a top view of the information terminal device in which the display portion thereof is in the tucked position;  
 and,  
 FIG. 11 is a front right perspective view of the information terminal device in which the display portion thereof is in the tucked position.

### FOREIGN PATENT DOCUMENTS

840855	6/1992	Japan .
8408551	3/1993	Japan .
8408552	3/1993	Japan .

**1 Claim, 6 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8



*FIG. 9*



*FIG. 10*



*FIG. 11*

