



US00D389131S

United States Patent [19]
Nagaoka

[11] **Patent Number:** **Des. 389,131**
[45] **Date of Patent:** ****Jan. 13, 1998**

[54] **INPUT PEN**

[75] **Inventor:** **Toshimasa Nagaoka, Hiratsuka, Japan**

[73] **Assignee:** **Pilot Precision Kabushiki Kaisha,**
Kanagawa-ken, Japan

[**] **Term:** **14 Years**

[21] **Appl. No.:** **64,475**

[22] **Filed:** **Jan. 2, 1997**

[30] **Foreign Application Priority Data**

Sep. 10, 1996 [JP] Japan 8-26927

[51] **LOC (6) Cl.** **14-02**

[52] **U.S. Cl.** **D14/114; D19/48; D19/56**

[58] **Field of Search** **D14/100, 114;**
D13/158; D19/48; 178/18, 19; 345/156-167,
179, 180; 340/407.2; 250/201.8, 221, 227.13;
235/472

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 307,421 4/1990 Tedham et al. D14/114

D. 327,476 6/1992 Valls et al. D14/114
D. 355,673 2/1995 Takahashi D19/48
D. 356,306 3/1995 Ady et al. D14/114
D. 361,783 8/1995 Wei D19/48
4,922,236 5/1990 Heady 345/166
5,296,838 3/1994 Suzuki 345/157

Primary Examiner—Martie Thompson
Attorney, Agent, or Firm—Ladas & Parry

[57] **CLAIM**

The ornamental design for input pen, as shown and described.

DESCRIPTION

FIG. 1 is a front/top/left-side perspective view of an input pen showing my new design;

FIG. 2 is a front elevational view thereof, the rear elevational view being a mirror image and, therefore, not shown;


FIG. 3 is a top plan view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a left-side elevational view thereof; and,

FIG. 6 is a right-side elevational view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

