



US00D389486S

United States Patent [19]
Kokkinis

[11] **Patent Number: Des. 389,486**
[45] **Date of Patent: **Jan. 20, 1998**

[54] **CONTROL UNIT FOR A HI-FIDELITY SYSTEM**

D. 339,345 9/1993 Fuke D14/168
D. 343,393 1/1994 Ito et al. D14/168
D. 350,754 9/1994 Sasago D14/168

[75] **Inventor: Serge Kokkinis, Hong Kong, Hong Kong**

Primary Examiner—Sandra L. Morris
Assistant Examiner—Nanda Bondade
Attorney, Agent, or Firm—Nixon & Vanderhye

[73] **Assignee: Alfa Technology Ltd., Hong Kong, Hong Kong**

[**] **Term: 14 Years**

[57] **CLAIM**

[21] **Appl. No.: 46,384**

The ornamental design for a control unit for a hi-fidelity system, as shown and described.

[22] **Filed: Nov. 13, 1995**

DESCRIPTION

[30] **Foreign Application Priority Data**

May 11, 1995 [GB] United Kingdom 2047359

FIG. 1 is a front view of a control unit for a hi-fidelity system;

[51] **LOC (6) Cl. 14-01**

FIG. 2 is a right side elevation of the control unit;

[52] **U.S. Cl. D14/221; D14/168**

FIG. 3 is a left side elevation of the control unit;

[58] **Field of Search D14/156, 160-172, D14/188, 193-198, 257-258, 299; 455/344, 347, 350, 351**

FIG. 4 is a top plan view of the control unit;

FIG. 5 is a rear elevational view of the control unit; and,



FIG. 6 is a bottom plan view of the control unit.

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 327,680 7/1992 Shimazu D14/168 X

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6