



US00D389518S

United States Patent [19]
Reichmann

[11] **Patent Number: Des. 389,518**
[45] **Date of Patent: **Jan. 20, 1998**

[54] **TRIANGULAR MARKER**
[75] **Inventor: Andre Reichmann**, Port Washington, N.Y.
[73] **Assignee: Dri Mark Products Inc.**, Port Washington, N.Y.
[**] **Term: 14 Years**

[21] **Appl. No.: 67,255**
[22] **Filed: Feb. 25, 1997**
[51] **LOC (6) Cl. 19-06**
[52] **U.S. Cl. D19/36; D19/43; D19/48; D19/57**
[58] **Field of Search D19/38, 36, 41-51, D19/53-58, 81-85; D9/570, 544, 529, 300; 401/6, 7, 29, 34, 35, 36, 88, 52, 195**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 277,296	1/1985	Frazier	D19/42
D. 306,315	2/1990	Shintani	D19/36
D. 316,272	4/1991	Lee	D19/36 X
D. 319,467	8/1991	Clowes	D19/43 X
D. 330,218	10/1992	Kimura	D19/66
D. 367,004	2/1996	Herbst et al.	D19/48 X

Primary Examiner—Martie Thompson
Attorney, Agent, or Firm—Ostrolenk, Faber, Gerb & Soffen, LLP


[57] **CLAIM**

The ornamental design for a triangular marker, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the marker of the present invention; FIG. 2 is an end view of the marker, as seen from anyone of the three identical triangle ends thereto; FIG. 3 is an end view of the marker of the present invention, as seen from anyone of the three identical base ends thereof; FIG. 4 is an exploded, front view of the marker in same orientation as FIG. 1; FIG. 5 is a top end view of the cap of the marker, as seen from the top end thereof; FIG. 6 is a bottom end view of the cap of the marker, as seen from the bottom end thereof; FIG. 7 is a right hand and left hand side view of the cap of the marker; and, FIG. 8 is an end view of the marker with one of the caps removed, as seen along lines 8—8 in FIG. 4.

1 Claim, 2 Drawing Sheets






FIG. 2




FIG. 1




FIG. 3




FIG. 5



FIG. 6




FIG. 4



FIG. 7




FIG. 8