

US00D389764S

United States Patent [19]

Howard

[11] Patent Number: Des. 389,764

[45] Date of Patent: **Jan. 27, 1998

[54] COMBINED TRANSMITTER AND RECEIVER FOR LOCATING PROPERTY BOUNDARIES

[76] Inventor: Roland Howard, 6173 Mauritania Ave.,

Oakland, Calif. 94605

[**] Term: 14 Years

[21] Appl. No.: **70,231**

[22] Filed: May 2, 1997

[52] U.S. Cl. D10/106; D10/46 [58] Field of Search D10/104, 106,

D10/116, 121, 46; 340/328, 571, 572, 573, 689

[56] References Cited

U.S. PATENT DOCUMENTS

D. 339,757	9/1993	Feeney	D10/106
		Dotsikas	
D. 346,125	4/1994	Cote et al.	D10/106
D. 376,987	12/1996	Geschwender	. D10/46

Primary Examiner-Marcus A. Jackson

[57]


CLAIM

The ornamental design for a combined transmitter and receiver for locating property boundaries, as shown and described.


DESCRIPTION


FIG. 1 is a front plan view of a combined transmitter and receiver for locating property boundaries of the present invention with the broken line showing for illustrative purpose only and forming no part of the claimed design; FIG. 2 is a back plan view of a combined transmitter and receiver for locating property boundaries of FIG. 1; FIG. 3 is a left side view of a combined transmitter and receiver for locating property boundaries of FIG. 1; FIG. 4 is a right side view of a combined transmitter and receiver for locating property boundaries of FIG. 1; FIG. 5 is a top plan view of a combined transmitter and receiver for locating property boundaries of FIG. 1; and, FIG. 6 is a bottom plan view of a combined transmitter and receiver for locating property boundaries of FIG. 1.

1 Claim, 3 Drawing Sheets



U.S. Patent








Fig. 3




Fig. 4

