



US00D389764S

**United States Patent** [19]  
**Howard**

[11] **Patent Number:** **Des. 389,764**  
[45] **Date of Patent:** **\*\*Jan. 27, 1998**

[54] **COMBINED TRANSMITTER AND RECEIVER FOR LOCATING PROPERTY BOUNDARIES**

[76] **Inventor:** **Roland Howard**, 6173 Mauritania Ave., Oakland, Calif. 94605

[\*\*] **Term:** **14 Years**

[21] **Appl. No.:** **70,231**

[22] **Filed:** **May 2, 1997**

[51] **LOC (6) Cl.** ..... **10-05**

[52] **U.S. Cl.** ..... **D10/106; D10/46**

[58] **Field of Search** ..... **D10/104, 106, D10/116, 121, 46; 340/328, 571, 572, 573, 689**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 339,757	9/1993	Feeney	.....	D10/106
D. 344,904	3/1994	Dotsikas	.....	D10/106
D. 346,125	4/1994	Cote et al.	.....	D10/106
D. 376,987	12/1996	Geschwender	.....	D10/46

*Primary Examiner*—Marcus A. Jackson

[57] **CLAIM**

The ornamental design for a combined transmitter and receiver for locating property boundaries, as shown and described.

**DESCRIPTION**

FIG. 1 is a front plan view of a combined transmitter and receiver for locating property boundaries of the present invention with the broken line showing for illustrative purpose only and forming no part of the claimed design; FIG. 2 is a back plan view of a combined transmitter and receiver for locating property boundaries of FIG. 1; FIG. 3 is a left side view of a combined transmitter and receiver for locating property boundaries of FIG. 1; FIG. 4 is a right side view of a combined transmitter and receiver for locating property boundaries of FIG. 1; FIG. 5 is a top plan view of a combined transmitter and receiver for locating property boundaries of FIG. 1; and, FIG. 6 is a bottom plan view of a combined transmitter and receiver for locating property boundaries of FIG. 1.

**1 Claim, 3 Drawing Sheets**





Fig. 1







Fig. 2






*Fig. 3*



*Fig. 4*

*Fig. 5*



*Fig. 6*

