



US00D389788S

United States Patent [19]
Galante et al.

[11] **Patent Number: Des. 389,788**
[45] **Date of Patent: **Jan. 27, 1998**

[54] **TIRE TREAD**

[75] **Inventors: Richard Louis Galante, Akron; Terrell Dean Windham, Hartville; Colleen Anne Nowacki; Jay Kevin Lawrence, both of Uniontown, all of Ohio**

[73] **Assignee: The Goodyear Tire & Rubber Company, Akron, Ohio**

[**] **Term: 14 Years**

[21] **Appl. No.: 50,362**

[22] **Filed: Feb. 15, 1996**

[51] **LOC (6) Cl. 12-15**

[52] **U.S. Cl. D12/146**

[58] **Field of Search D12/141-143, D12/146-148; 152/209 R, 209 D**

[56] **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|------------|---------|----------------------|---------|
| D. 244,440 | 5/1977 | Hayakawa et al. | D12/143 |
| D. 265,303 | 7/1982 | Yokoyama | D12/147 |
| D. 266,920 | 11/1982 | Candiliotis | D12/147 |
| D. 272,815 | 2/1984 | Hatakenaka | D12/146 |
| D. 280,981 | 10/1985 | Ohta et al. | D12/142 |
| D. 287,706 | 1/1987 | Takeuchi | D12/146 |
| D. 287,841 | 1/1987 | Ono | D12/147 |
| D. 288,307 | 2/1987 | Ono | D12/146 |
| D. 288,548 | 3/1987 | Kojima et al. | D12/147 |
| D. 289,026 | 3/1987 | Wohlfahrt | D12/146 |
| D. 292,081 | 9/1987 | Kuroda | D12/146 |
| D. 294,135 | 2/1988 | Wallet | D12/147 |
| D. 298,115 | 10/1988 | Kuroda | D12/146 |
| D. 299,329 | 1/1989 | Wallet et al. | D12/146 |
| D. 299,711 | 2/1989 | Wallet | D12/147 |
| D. 301,024 | 5/1989 | Himuro et al. | D12/147 |
| D. 301,445 | 6/1989 | Terada | D12/147 |
| D. 304,918 | 12/1989 | Hinrichsen | D12/146 |
| D. 306,844 | 3/1990 | Wallet | D12/146 |
| D. 309,441 | 7/1990 | Sakuno | D12/147 |
| D. 311,889 | 11/1990 | Guermadi et al. | D12/146 |
| D. 312,230 | 11/1990 | Wallet et al. | D12/147 |
| D. 312,231 | 11/1990 | Guspodin | D12/147 |
| D. 312,232 | 11/1990 | Wallet et al. | D12/147 |

| | | | |
|------------|---------|-----------------------|---------|
| D. 316,692 | 5/1991 | Fukumoto | D12/146 |
| D. 321,832 | 11/1991 | Guspodin | D12/147 |
| D. 328,271 | 7/1992 | Guspodin et al. | D12/147 |
| D. 328,581 | 8/1992 | Loser | D12/147 |
| D. 334,372 | 3/1993 | Grenie | D12/147 |
| D. 335,841 | 5/1993 | Caretta et al. | D12/146 |
| D. 340,013 | 10/1993 | Downey et al. | D12/147 |
| D. 340,686 | 10/1993 | Baker | D12/147 |
| D. 345,535 | 3/1994 | Shinohara et al. | D12/147 |
| D. 345,951 | 4/1994 | Guspodin et al. | D12/147 |
| D. 345,952 | 4/1994 | Christenbury | D12/147 |
| D. 347,812 | 6/1994 | Simpson | D12/146 |
| D. 348,864 | 7/1994 | Hashimura | D12/147 |

(List continued on next page.)

OTHER PUBLICATIONS

Duralon Widetrack SR tire, *1994 Tread Design Guide*, p. 19, bottom row, second from right.
Lee Ultra HR 765 tire, *1995 Tread Design Guide*, p. 42, third row, second from right.
Goodyear Workhorse Radial tire, *1995 Tread Design Guide*, p. 95, top row, far right.

Primary Examiner—James Gandy
Assistant Examiner—Robert Spear
Attorney, Agent, or Firm—T. P. Lewandowski


[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread, it being understood that the tread pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof the opposite side elevational view being a mirror image thereof; and,
FIG. 4 is an enlarged fragmentary front view thereof.
In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



U.S. PATENT DOCUMENTS

| | | | | | | | |
|------------|---------|----------------------|---------|-----------|---------|-----------------------|---------|
| D. 350,099 | 8/1994 | Manestar | D12/147 | 4,723,584 | 2/1988 | Yamaguchi et al. | 152/209 |
| D. 350,507 | 9/1994 | Helluin | D12/141 | 4,794,965 | 1/1989 | Langier | 152/209 |
| D. 350,509 | 9/1994 | Killian | D12/146 | 4,945,963 | 8/1990 | Fujiwara | 152/209 |
| D. 350,513 | 9/1994 | Mehta et al. | D12/147 | 5,012,847 | 5/1991 | Fukumoto et al. | 152/209 |
| D. 350,926 | 9/1994 | Hutz | D12/147 | 5,048,583 | 9/1991 | Goto et al. | 152/209 |
| D. 351,126 | 10/1994 | Manestar | D12/146 | 5,078,190 | 1/1992 | Wissbrook et al. | 152/209 |
| D. 354,026 | 1/1995 | McKisson | D12/146 | 5,109,903 | 5/1992 | Watanabe et al. | 152/209 |
| D. 354,725 | 1/1995 | McKisson | D12/146 | 5,147,478 | 9/1992 | Nock et al. | 152/209 |
| D. 356,059 | 3/1995 | McKisson | D12/146 | 5,178,698 | 1/1993 | Shibata | 152/209 |
| 4,416,317 | 11/1983 | Caretto | 152/209 | 5,200,008 | 4/1993 | Enterline et al. | 156/110 |
| 4,619,300 | 10/1986 | Tokunaga et al. | 152/209 | 5,269,357 | 12/1993 | Killian | 152/209 |
| 4,649,975 | 3/1987 | Kogure et al. | 152/209 | 5,287,905 | 2/1994 | Caretta et al. | 152/209 |
| 4,676,290 | 6/1987 | Tansey et al. | 152/209 | 5,308,416 | 5/1994 | Baumhofer et al. | 152/209 |
| | | | | 5,388,625 | 2/1995 | White | 152/209 |
| | | | | 5,421,387 | 6/1995 | Emerson | 152/209 |




FIG-1




FIG-2




FIG-3




FIG-4