



US00D389788S

United States Patent [19]
Galante et al.

[11] **Patent Number: Des. 389,788**
[45] **Date of Patent: **Jan. 27, 1998**

[54] **TIRE TREAD**

[75] Inventors: **Richard Louis Galante, Akron; Terrell Dean Windham, Hartville; Colleen Anne Nowacki; Jay Kevin Lawrence,** both of Uniontown, all of Ohio

[73] Assignee: **The Goodyear Tire & Rubber Company, Akron, Ohio**

[**] Term: **14 Years**

[21] Appl. No.: **50,362**

[22] Filed: **Feb. 15, 1996**

[51] **LOC (6) Cl. 12-15**

[52] **U.S. Cl. D12/146**

[58] **Field of Search D12/141-143, D12/146-148; 152/209 R, 209 D**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 244,440	5/1977	Hayakawa et al.	D12/143
D. 265,303	7/1982	Yokoyama	D12/147
D. 266,920	11/1982	Candiliotis	D12/147
D. 272,815	2/1984	Hatakenaka	D12/146
D. 280,981	10/1985	Ohta et al.	D12/142
D. 287,706	1/1987	Takeuchi	D12/146
D. 287,841	1/1987	Ono	D12/147
D. 288,307	2/1987	Ono	D12/146
D. 288,548	3/1987	Kojima et al.	D12/147
D. 289,026	3/1987	Wohlfahrt	D12/146
D. 292,081	9/1987	Kuroda	D12/146
D. 294,135	2/1988	Wallet	D12/147
D. 298,115	10/1988	Kuroda	D12/146
D. 299,329	1/1989	Wallet et al.	D12/146
D. 299,711	2/1989	Wallet	D12/147
D. 301,024	5/1989	Himuro et al.	D12/147
D. 301,445	6/1989	Terada	D12/147
D. 304,918	12/1989	Hinrichsen	D12/146
D. 306,844	3/1990	Wallet	D12/146
D. 309,441	7/1990	Sakuno	D12/147
D. 311,889	11/1990	Guermadi et al.	D12/146
D. 312,230	11/1990	Wallet et al.	D12/147
D. 312,231	11/1990	Guspodin	D12/147
D. 312,232	11/1990	Wallet et al.	D12/147

D. 316,692	5/1991	Fukumoto	D12/146
D. 321,832	11/1991	Guspodin	D12/147
D. 328,271	7/1992	Guspodin et al.	D12/147
D. 328,581	8/1992	Loser	D12/147
D. 334,372	3/1993	Grenie	D12/147
D. 335,841	5/1993	Caretta et al.	D12/146
D. 340,013	10/1993	Downey et al.	D12/147
D. 340,686	10/1993	Baker	D12/147
D. 345,535	3/1994	Shinohara et al.	D12/147
D. 345,951	4/1994	Guspodin et al.	D12/147
D. 345,952	4/1994	Christenbury	D12/147
D. 347,812	6/1994	Simpson	D12/146
D. 348,864	7/1994	Hashimura	D12/147

(List continued on next page.)

OTHER PUBLICATIONS

Duralon Widetrack SR tire, *1994 Tread Design Guide*, p. 19, bottom row, second from right.
Lee Ultra HR 765 tire, *1995 Tread Design Guide*, p. 42, third row, second from right.
Goodyear Workhorse Radial tire, *1995 Tread Design Guide*, p. 95, top row, far right.

Primary Examiner—James Gandy
Assistant Examiner—Robert Spear
Attorney, Agent, or Firm—T. P. Lewandowski


[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread, it being understood that the tread pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a side elevational view thereof the opposite side elevational view being a mirror image thereof; and,
FIG. 4 is an enlarged fragmentary front view thereof.
In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



U.S. PATENT DOCUMENTS

D. 350,099	8/1994	Manestar	D12/147	4,723,584	2/1988	Yamaguchi et al.	152/209
D. 350,507	9/1994	Helluin	D12/141	4,794,965	1/1989	Langier	152/209
D. 350,509	9/1994	Killian	D12/146	4,945,963	8/1990	Fujiwara	152/209
D. 350,513	9/1994	Mehta et al.	D12/147	5,012,847	5/1991	Fukumoto et al.	152/209
D. 350,926	9/1994	Hutz	D12/147	5,048,583	9/1991	Goto et al.	152/209
D. 351,126	10/1994	Manestar	D12/146	5,078,190	1/1992	Wissbrook et al.	152/209
D. 354,026	1/1995	McKisson	D12/146	5,109,903	5/1992	Watanabe et al.	152/209
D. 354,725	1/1995	McKisson	D12/146	5,147,478	9/1992	Nock et al.	152/209
D. 356,059	3/1995	McKisson	D12/146	5,178,698	1/1993	Shibata	152/209
4,416,317	11/1983	Caretto	152/209	5,200,008	4/1993	Enterline et al.	156/110
4,619,300	10/1986	Tokunaga et al.	152/209	5,269,357	12/1993	Killian	152/209
4,649,975	3/1987	Kogure et al.	152/209	5,287,905	2/1994	Caretta et al.	152/209
4,676,290	6/1987	Tansey et al.	152/209	5,308,416	5/1994	Baumhofer et al.	152/209
				5,388,625	2/1995	White	152/209
				5,421,387	6/1995	Emerson	152/209




FIG-1




FIG-2




FIG-3




FIG-4