



US00D389963S

United States Patent [19]

Scanlon et al.

[11] Patent Number: **Des. 389,963**

[45] Date of Patent: ****Jan. 27, 1998**

[54] **FILTER FOR A WET/DRY VACUUM APPARATUS**

[75] Inventors: **John J. Scanlon**, Wilmington;
Raymond M. Wnenschak, Newark,
both of Del.; **Richard W. Giannetta**,
Elkton, Md.; **Jay J. Herring**,
Landenberg, Pa.

[73] Assignee: **W. L. Gore & Associates, Inc.**,
Newark, Del.

[**] Term: **14 Years**

[21] Appl. No.: **58,587**

[22] Filed: **Aug. 19, 1996**

[51] LOC (6) Cl. **15-05**

[52] U.S. Cl. **D32/31**

[58] Field of Search 15/347, 349, 320-321;
D32/31, 25, 30; 210/407, 348, 483, 486,
493.1, 493.5, 498, 499

[56] **References Cited**

U.S. PATENT DOCUMENTS

4,072,483 2/1978 Doyle, Jr. D32/30

4,613,348	9/1986	Natale	D32/30
5,147,544	9/1992	Vescovini	D32/30
5,232,595	8/1993	Meyer	D32/30
5,297,311	3/1994	Puri	D32/30
5,601,717	2/1997	Villette et al.	D32/30

Primary Examiner—Ruth McInroy
Attorney, Agent, or Firm—Victor M. Genco, Jr.

[57] **CLAIM**

The ornamental design for a filter for a wet/dry vacuum apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a bottom perspective view of a filter for a wet/dry vacuum apparatus showing our design;



FIG. 2 is a bottom view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a top view thereof; and,

FIG. 5 is a top perspective view thereof.

1 Claim, 4 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5