



US00D389997S

United States Patent [19]

[11] Patent Number: **Des. 389,997**

Adam

[45] Date of Patent: ****Feb. 3, 1998**

[54] **REMOVABLE CLEAT FOR ATHLETIC SHOES**

[75] Inventor: **John M. Adam, Marietta, Ga.**

[73] Assignee: **Diversified Industrial Technology, Inc., Marietta, Ga.**

[**] Term: **14 Years**

[21] Appl. No.: **66,602**

[22] Filed: **Feb. 18, 1997**

[51] LOC (6) Cl. **02-04**

[52] U.S. Cl. **D2/962**

[58] Field of Search D2/962, 906, 949, D2/955; 36/126-130, 134, 59 R, 67 C, 67 D, 67 R, 67 A

[56] References Cited

U.S. PATENT DOCUMENTS

D. 201,952	8/1965	Johns	D2/956
D. 328,518	8/1992	Kiyosawa	D2/949
D. 339,459	9/1993	Yoshikawa et al.	D2/955
D. 366,755	2/1996	Abbey	D2/962
D. 375,192	11/1996	Bathum	D2/962
1,012,057	12/1911	Brady	36/59 R
1,230,118	6/1917	Clifford	36/66
1,232,896	7/1917	Clifford	36/61
1,304,616	5/1919	Smith	36/59 R
1,550,772	8/1925	Allan	36/59
1,827,514	10/1931	Golden	
1,876,195	9/1932	Youmans	36/59
2,261,785	11/1941	Youmans	36/59
2,292,239	8/1942	Pierce et al.	36/59
2,677,905	5/1954	Dye	36/59
2,803,070	6/1957	Passidomo et al.	36/59
3,271,885	9/1966	McAuliffe	36/2.5
3,512,275	5/1970	Leavitt	36/59
3,656,245	4/1972	Wilson	36/67 D

3,707,047	12/1972	Nedwick	36/2.5 R
4,014,114	3/1977	Jordan et al.	36/67 D
4,299,038	11/1981	Epple	36/67 D
4,445,288	5/1984	Fror	36/67 A
4,577,422	3/1986	Tanel	36/126
4,653,206	3/1987	Tanel	36/126
4,689,901	9/1987	Ihlenburg	36/126
4,723,366	2/1988	Hagger	36/134
4,748,752	6/1988	Tanel	36/126
5,029,405	7/1991	De Haitre	36/134
5,259,129	11/1993	Deacon et al.	36/127

OTHER PUBLICATIONS

"Here's the Soft Golf Spike That's Hard To Beat"—*Champ Tred-Lite*—Believed to be known to others prior to Aug. 1, 1996.

Primary Examiner—Doris V. Coles
Attorney, Agent, or Firm—Isaf, Vaughan & Kerr; Louis T. Isaf


[57] CLAIM

The ornamental design for "a removable cleat for athletic shoes", as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a removable cleat for athletic shoes, showing my new design;
FIG. 2 is a front elevational view, the rear, left and right sides being identical thereto;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a perspective view of a second embodiment;
FIG. 6 is a front elevational view, the rear, left and right sides being identical thereto;
FIG. 7 is a bottom plan view thereof; and,
FIG. 8 is a top plan view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8