



US00D390012S

United States Patent [19]

Goodman et al.

[11] Patent Number: **Des. 390,012**

[45] Date of Patent: ****Feb. 3, 1998**

[54] **HOOK**

[75] Inventors: **Sheldon H. Goodman**, 30905 Stratford, Solon, Ohio 44139; **Harold A. Goodman**, Orange Village, Ohio

[73] Assignee: **Sheldon H. Goodman**, Solon, Ohio

[**] Term: **14 Years**

[21] Appl. No.: **64,327**

[22] Filed: **Dec. 27, 1996**

Related U.S. Application Data

[62] Division of Ser. No. 51,244, Mar. 6, 1996.

[51] **LOC (6) CL** **06-08**

[52] **U.S. Cl.** **D6/323; D8/372**

[58] **Field of Search** **D6/315, 317, 320, D6/323; D8/372; 211/87, 106; 248/303, 304**

[56] References Cited

U.S. PATENT DOCUMENTS

D. 271,545 11/1983 Licari et al. D6/323

D. 326,564 6/1992 Emery D6/323
D. 343,066 1/1994 Hsu D6/323
D. 355,842 2/1995 Goodman et al. D6/323

Primary Examiner—Sandra L. Morris
Attorney, Agent, or Firm—Pearne, Gordon, McCoy & Granger LLP

[57] CLAIM

The ornamental design for a hook, as shown and described.

DESCRIPTION

FIG. 1 is a left side, top and front perspective view of a hook, showing our new design;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a left side elevational view thereof, the right side elevational view being a mirror image;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof; and,

FIG. 6 is a rear elevational view thereof.

FIGS. 2-6 are shown on a reduced scale.

1 Claim, 2 Drawing Sheets





Fig. 1






Fig. 4




Fig. 2




Fig. 5




Fig. 3




Fig. 6