



US00D390177S

United States Patent [19]
Maxwell

[11] **Patent Number:** **Des. 390,177**
[45] **Date of Patent:** ****Feb. 3, 1998**

[54] **TIRE TREAD**
[75] **Inventor:** **Paul Bryan Maxwell, Munroe Falls, Ohio**
[73] **Assignee:** **The Goodyear Tire & Rubber Company, Akron, Ohio**
[**] **Term:** **14 Years**
[21] **Appl. No.:** **68,476**
[22] **Filed:** **Mar. 12, 1997**
[51] **LOC (6) Cl.** **12-15**
[52] **U.S. Cl.** **D12/147**
[58] **Field of Search** **D12/136, 138, D12/140-151; 152/209 A, 209 B, 209 D**

[56] **References Cited**
U.S. PATENT DOCUMENTS
D. 265,187 6/1982 Raluy D12/149
D. 324,840 3/1992 Maxwell et al. D12/147
D. 329,032 9/1992 Maxwell et al. D12/147
D. 335,643 5/1993 Hino D12/147
D. 338,436 8/1993 Maxwell et al. D12/146
D. 340,015 10/1993 Maxwell D12/151
D. 340,687 10/1993 Maxwell et al. D12/149

D. 350,512 9/1994 Covert et al. D12/147
D. 355,153 2/1995 Consolacion et al. D12/147
D. 377,921 2/1997 Himuro et al. D12/147
D. 379,674 6/1997 Ratliff, Jr. D12/147

Primary Examiner—James Gandy
Assistant Examiner—Robert M. Spear
Attorney, Agent, or Firm—T. P. Lewandowski


[57] **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread, it being understood that the pattern repeats uniformly throughout the circumference of the tread;
FIG. 2 is a front elevational view thereof; and,
FIG. 3 is a left side elevational view thereof shown at a reduced scale, the right side elevational view being a mirror image thereof.
In the drawings, the broken lines defining the inner bead of the sidewall and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3