



US00D390219S

United States Patent [19]

Rosen

[11] Patent Number: **Des. 390,219**

[45] Date of Patent: ****Feb. 3, 1998**

[54] **RETRACTABLE MONITOR SYSTEM**

[75] Inventor: **John B. Rosen, Eugene, Oreg.**

[73] Assignee: **Advanced Multimedia Products Corporation, Eugene, Oreg.**

[**] Term: **14 Years**

[21] Appl. No.: **66,478**

[22] Filed: **Feb. 6, 1997**

[51] LOC (6) Cl. **14-03**

[52] U.S. Cl. **D14/132; D14/113**

[58] Field of Search D14/100, 101, D14/113, 132, 126-129; D12/345; 248/447, 584, 317, 586, 917-924; 358/507; 348/325, 333, 383, 827, 837, 825, 836; D24/158; D6/513; 312/7.2; 340/995, 461; 52/39

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 332,715	1/1993	Sedighzadeh et al.	D6/513
D. 365,951	1/1996	Walters, III	D6/513
4,504,910	3/1985	Araki et al.	340/995
4,630,821	12/1986	Greenwald .	
4,836,486	6/1989	Vossoughi et al. .	
5,064,161	11/1991	Anderson	D6/513 X
5,076,524	12/1991	Reh et al. .	
5,096,271	3/1992	Portman	312/7.2
5,145,128	9/1992	Umeda	248/918 X
5,148,282	9/1992	Sedighzadeh	348/825
5,161,028	11/1992	Kawata et al. .	
5,177,616	1/1993	Riday .	
5,179,367	1/1993	Shimizu	248/919 X
5,179,447	1/1993	Lain .	
5,195,709	3/1993	Yasushi .	
5,311,302	5/1994	Berry et al. .	

5,362,144	11/1994	Shioya et al. .	
5,459,893	10/1995	Walters, III	5/414
5,501,042	3/1996	Gustaveson et al.	52/39
5,547,248	8/1996	Marechal .	

FOREIGN PATENT DOCUMENTS

004118711A 12/1992 United Kingdom 248/917

Primary Examiner—Freda Nunn
Attorney, Agent, or Firm—Kolisch, Hartwell, Dickinson, McCormack & Heuser

[57] **CLAIM**

The ornamental design for a retractable monitor system, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a retractable monitor system showing my new design, the monitor being depicted in a stowed orientation;

FIG. 2 is an isometric view of the monitor system of FIG. 1, but showing the monitor in a display orientation;

FIG. 3 is a right-side view of the monitor system with the monitor in the display orientation;

FIG. 4 is left-side view of the monitor system with the monitor in the stowed orientation;

FIG. 5 is a top view of the monitor system with the monitor in the stowed orientation;

FIG. 6 is a right-side view of the monitor system with the monitor in the stowed orientation;

FIG. 7 is a bottom view of the monitor system with the monitor in the stowed orientation;

FIG. 8 is a front view of the monitor system with the monitor in the stowed orientation; and,

FIG. 9 is a rear view of the monitor system with the monitor in the stowed orientation.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9

