

US00D390303S

United States Patent [19]

Bullock

[11] Patent Number: **Des. 390,303**

[45] Date of Patent: ****Feb. 3, 1998**

[54] **RECOIL BUFFER**

[76] Inventor: **Larry Alan Bullock**, P.O. Box 104903,
Jefferson City, Mo. 65110

[**] Term: **14 Years**

[21] Appl. No.: **53,836**

[22] Filed: **Apr. 26, 1996**

[51] LOC (6) Cl. **22-01**

[52] U.S. Cl. **D22/111; D22/108**

[58] Field of Search **D22/100, 103,
D22/108, 111, 199; 42/71.01, 74, 104**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 275,510	9/1984	McCone	D22/111
1,147,941	7/1915	Haslett	42/74
1,328,924	1/1920	Kennedy	42/74
3,405,470	10/1968	Wesemann	42/74
4,316,342	2/1982	Griggs	42/74
4,697,367	10/1987	Brophy	42/71.01
5,031,348	7/1991	Carey	42/71.01 X

Primary Examiner—Louis S. Zarfes
Assistant Examiner—Monica A. Weingart
Attorney, Agent, or Firm—Richard J. Grundstrom

[57] **CLAIM**

The ornamental design for a recoil buffer, as shown.

DESCRIPTION

FIG. 1 is a front facing isometric view of the recoil buffer showing the unique design of the invention;

FIG. 2 is a front elevation view showing another embodiment of the recoil buffer, all other views are the same as in the other embodiment;

FIG. 3 is front elevation view of FIG. 1 showing the recoil buffer of this design;


FIG. 4 is left side view of the recoil buffer of this design;

FIG. 5 is rear view of the recoil buffer;

FIG. 6 is right side view of the recoil buffer; and,

FIG. 7 is a rear facing isometric view of the recoil buffer of this invention.

1 Claim, 7 Drawing Sheets






FIG.1.




FIG.2.




FIG. 3.




FIG.4.




FIG. 5.




FIG.6.




FIG. 7.