



US00D390433S

**United States Patent** [19]  
**Miller**

[11] **Patent Number: Des. 390,433**  
[45] **Date of Patent: \*\*Feb. 10, 1998**

[54] **BOTTLE OPENER**

[76] **Inventor: James M. Miller, 1280 W. Peachtree, Apartment 3811, Atlanta, Ga. 30309**

[\*\*] **Term: 14 Years**

[21] **Appl. No.: 43,456**

[22] **Filed: Sep. 1, 1995**

[51] **LOC (6) Cl. .... 07-99**

[52] **U.S. Cl. .... D8/38; D21/136; 81/3.4**

[58] **Field of Search .... D8/18, 33, 34, D8/38, 40, 41; D21/78, 136, 150; 81/3.4, 3.41**

[56] **References Cited**

**U.S. PATENT DOCUMENTS**

D. 41,895	11/1911	Sommer	.....	D8/18
D. 294,610	3/1988	Matsumoto	.....	D21/136
D. 295,199	4/1988	Yoke	.....	D21/136
D. 348,188	6/1994	Sorensen	.....	D8/38

**OTHER PUBLICATIONS**

Motor Trend Feb. 1989 p.58 (Ford Thunderbird SC).

*Primary Examiner*—Ted Shooman

*Assistant Examiner*—Adir Aronovich

*Attorney, Agent, or Firm*—Thomas, Kayden, Horstemeyer & Risley



[57] **CLAIM**


The ornamental design for a bottle opener, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of the bottle opener; FIG. 2 is a front view of the bottle opener of FIG. 1; FIG. 3 is a rear view of the bottle opener of FIG. 1; FIG. 4 is a side view of the bottle opener of FIG. 1; FIG. 5 is a top view of the bottle opener of FIG. 1; and, FIG. 6 is a bottom view of the bottle opener of FIG. 1.

**1 Claim, 2 Drawing Sheets**







**FIG. 1**




**FIG. 2**




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG. 6**